



TPO 60 MIL WHITE SHEET 39" X 100'

Version 4.0
 REVISION DATE: 07/11/2014

Print Date 08/02/2014

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : TPO 60 MIL WHITE SHEET 39" X 100'
 Product code : TPO3960503
 COMPANY : Tremco Incorporated
 3735 Green Road
 Cleveland, OH 44122
 Telephone : (216) 292-5000 8:30 - 5:00 EST
 Emergency Phone : (216) 765-6727 8:30 - 5:00 EST
 After Hours: Chemtrec 1-800-424-9300
 Product use : Roof Sheeting

RECEIVED KCBA
 14 AUG 11 AM 11:11

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Overview

White. Solid ply rolls. Not applicable under normal conditions of use. Generally not required under normal conditions of use.

Acute Potential Health Effects/ Routes of Entry

Inhalation : Not applicable under normal conditions of use.
 Eyes : Not applicable under normal conditions of use.
 Ingestion : Not applicable under normal conditions of use.
 Skin : May cause mild irritation.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

This product contains granular materials which may cause mechanical skin, eye or respiratory irritation.

Target Organs: Skin, Eye, Lung

SECTION 3 - PRODUCT COMPOSITION

Chemical Name	CAS-No.	Weight %
Ethylene/propylene copolymer	NJ TSRN# 51721300-5172P	> 60.0
Magnesium Hydroxide	1309-42-8	15.0 - 40.0
Polyester	25038-59-9	10.0 - 30.0
Titanium dioxide	13463-67-7	1.0 - 5.0

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : Generally not required under normal conditions of use.



TPO 60 MIL WHITE SHEET 39" X 100'

Version 4.0
 REVISION DATE: 07/11/2014

Print Date 08/02/2014

- Eye contact : Generally not required under normal conditions of use.
- Skin contact : Clean area of contact thoroughly using soap and water. If irritation, rash or other disorders develop, get medical attention immediately.
- Ingestion : Not applicable under normal conditions of use.
- Notes to physician : Not applicable.

SECTION 5 - FIRE FIGHTING MEASURES

- Flash point : Not available.
- Method : Not available.
- Lower explosion limit : Not available.
- Upper explosion limit : Not available.
- Autoignition temperature : Not available.
- Hazardous combustion products : Hydrogen sulfide and hydrocarbon fractions.
- Protective equipment for firefighters : Use accepted fire fighting techniques. Wear full firefighting protective clothing, including self-contained breathing apparatus (SCBA).

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Scrape up and transfer to appropriate container for disposal.

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection equipment

- Respiratory protection : Not required under normal conditions of use.
- Hand protection : Use suitable impervious leather gloves and protective apparel to reduce exposure.
- Eye protection : Wear appropriate eye protection.
- Skin and body protection : Not required.
- Protective measures : Other equipment not normally required.
- Engineering measures : General ventilation is sufficient.

Exposure Limits

TPO 60 MIL WHITE SHEET 39" X 100'

Version 4.0
 REVISION DATE: 07/11/2014

Print Date 08/02/2014

Chemical Name	CAS Number	Regulation	Limit	Form
Titanium dioxide	13463-67-7	ACGIH TWA:	10 mg/m3	Total dust. Total dust. Respirable fraction.
		OSHA PEL:	15 mg/m3	
		OSHA TWA:	15 mg/m3	
		OSHA TWA:	5 mg/m3	

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form : Solid ply rolls
 Color : White
 Odor : None
 pH : Not available.
 Vapour pressure : Not available.
 Vapor density : Not available.
 Melting point/range : Not available.
 Freezing point : Not available.
 Boiling point/range : Not available.
 Water solubility : Not available.
 Specific Gravity : 1
 % Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

Stability : Material is stable under normal storage, handling, and use.
 Hazardous polymerization : Will not occur.

SECTION 11 - TOXICOLOGICAL INFORMATION

Magnesium Hydroxide, CAS-No.: 1309-42-8
 Acute oral toxicity (LD-50 oral) 8,500 mg/kg (Rat)

Titanium dioxide, CAS-No.: 13463-67-7
 Acute oral toxicity (LD-50 oral) 25,000 mg/kg (Rat) 5,000 mg/kg (Rat) 5,000 mg/kg (Rat)
 2,000 mg/kg (Rat) 11,000 mg/kg (Rat)
 Acute inhalation toxicity (LC-50) > 6.82 mg/l for 4 h (Rat) 3.43 mg/l for 4 h (Rat) 5.09 mg/l
 for 4 h (Rat) > 2.28 mg/l for 4 h (Rat) > 3.56 mg/l for 4 h (Rat)



TPO 60 MIL WHITE SHEET 39" X 100'

Version 4.0
 REVISION DATE: 07/11/2014

Print Date 08/02/2014

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : As purchased, this product, when discarded, is not a listed or characteristic hazardous waste according to Federal regulations (40 CFR 261). Check local, regional, state or provincial regulations for applicable requirements for disposal. Any processing, using, alteration or chemical additions to the product, as purchased, may alter the disposal requirements. Under Federal regulations, it is the generator's responsibility to determine if a waste is a hazardous waste. Empty containers may retain product residue. Do not reuse.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

CFR / DOT:

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.
 This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

U.S. Federal Regulations:

SARA 313 Components : None present or none present in regulated quantities.

SARA 311/312 Hazards : Acute Health Hazard

OSHA Hazardous Components :

Titanium dioxide 13463-67-7

OSHA Status: Considered : Irritant
 hazardous based on the
 following criteria:

TPO 60 MIL WHITE SHEET 39" X 100'

Version 4.0
 REVISION DATE: 07/11/2014

Print Date 08/02/2014

OSHA Flammability : Not Regulated

Regulatory VOC (less water and exempt solvent) : 0 g/l

VOC Method 310 : 0.00 %

U.S. State Regulations:

MASS RTK Components	:	Titanium dioxide	13463-67-7
Penn RTK Components	:	Ethylene/propylene copolymer	NJ TSRN# 51721300-5172P
		Magnesium Hydroxide	1309-42-8
		Polyester	25038-59-9
		Titanium dioxide	13463-67-7
NJ RTK Components	:	Ethylene/propylene copolymer	NJ TSRN# 51721300-5172P
		Magnesium Hydroxide	1309-42-8
		Polyester	25038-59-9
		Titanium dioxide	13463-67-7

Components under California Proposition 65:

WARNING! Contains chemicals known to the State of California to cause cancer, birth defects and/or other reproductive harm

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

0 = Minimum
 1 = Slight
 2 = Moderate
 3 = Serious
 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

ACGIH - American Conference of Governmental Hygienists	PEL - Permissible Exposure Limit
CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act	RCRA - Resource Conservation and Recovery Act
DOT - Department of Transportation	RTK - Right To Know
DSL - Domestic Substance List	SARA - Superfund Amendments and Reauthorization Act
EPA - Environmental Protection Agency	STEL - Short Term Exposure Limit
HMIS - Hazardous Materials Information System	TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer	TSCA - Toxic Substances Control Act
MSHA - Mine Safety Health Administration	TWA - Time Weighted Average
NDSL - Non-Domestic Substance List	V - Volume
NIOSH - National Institute for Occupational Safety and Health	VOC - Volatile Organic Compound



TPO 60 MIL WHITE SHEET 39" X 100'

Version 4.0
REVISION DATE: 07/11/2014

Print Date 08/02/2014

NTP - National Toxicology Program
OSHA - Occupational Safety and Health Administration

WHMIS - Workplace Hazardous Materials Information System

RECEIVED KEB
14 AUG 11 AM 11:08