# Material Name: CRAYOLA® MODEL MAGIC SDS ID: CRAY-040

# Section 1 - PRODUCT AND COMPANY IDENTIFICATION

### **Material Name**

CRAYOLA® MODEL MAGIC

### **Synonyms**

```
CRAYOLA MODEL MAGIC: ART TUB: ART CASE: CRAYOLA MODEL MAGIC BUCKET: FUSION:
MORPHIX; PRODUCT COLORS/CODES: 03-1601; 03-4101; 03-4102; 03-4103; 03-4104; 03-4105; 03-4109; 03-
4110; 03-4116; 03-4117; 03-4118; 04-0462; 04-0478; 04-0504; 04-0506; 04-0527; 04-0533; 04-0539; 04-0563; 04-0564; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506
0564: 04-0565: 04-0597: 04-0598: 04-0599: 04-0607: 04-0608: 04-0609: 04-0610: 04-0611: 04-0612: 04-0613: 04-
0631; 04-0666; 04-1110; 04-1500; 04-1503; 04-1504; 04-1506; 04-1507; 04-1509; 04-1520; 04-1601; 04-6010; 04-
1907; 04-1908; 04-1951; 04-4106; 04-4107; 04-4108; 04-4401; 04-4600; 04-5354; 04-5358; 04-5401; 04-5358; 04-
5558; 04-5367; 04-5692; 04-5719; 04-6010; 04-6808; 23-0219; 23-0220; 23-2201; 23-2221; 23-2221; 23-2223; 23-
2225; 23-2226; 23-2227; 23-2228; 23-2229; 23-2230; 23-2231; 23-2232; 23-2233; 23-2234; 23-2235; 23-2237; 23-
2240; 23-2241; 23-2244; 23-2246; 23-2250, 23-2252, 23-2253; 23-2255; 23-2256; 23-2257; 23-2260; 23-2264; 23-
2270; 23-2271; 23-2272; 23-2273; 23-2274; 23-2275; 23-2276; 23-2277; 23-2278; 23-2279; 23-2402; 23-2403; 23-
2404; 23-2405; 23-2406; 23-2407; 23-2408; 23-2412; 23-2413; 23-2414; 23-2436; 23-2437; 23-2438; 23-2439; 23-
2505; 23-2900; 23-3001; 23-3004; 23-3055; 23-3072; 23-3153; 23-3302; 23-3303; 23-3304; 23-3352; 23-6001; 23-
6002; 23-6018; 23-6019; 23-6205; 23-6305; 23-6310; 23-6818; 54-2350; 54-2351; 54-2352; 57-0019; 57-0021; 57-
0022; 57-0038; 57-0039; 57-0044; 57-0047; 57-0048; 57-0049; 57-0176; 57-0175; 57-0177; 57-0178; 57-0179; 57-
0180; 57-0189; 57-0193; 57-0194; 57-0194; 57-0265; 57-0323; 57-2000; 57-2013; 57-2014; 57-2015; 57-2016; 57-
2017; 57-2018; 57-2016; 57-2017; 57-2022; 57-2023; 57-2024; 57-2025; 57-2032; 57-2102; 57-2103; 57-2104; 57-
4003; 57-4004; 57-4005; 57-4006; 57-4007; 57-4008; 57-4009; 57-4010; 57-4011; 57-4012; 57-4401; 57-4401; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010; 57-4010
4402; 57-4403; 57-4404; 57-4413; 57-4414; 57-4415; 57-4416; 57-4417; 57-4418; 57-4433; 57-4434; 57-4436; 57-
4438; 57-4440; <mark>57-4442</mark>; 57-4444; 57-4451; 57-4452; 57-4459; 57-4462; 57-4464; 57-4474; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4486; 57-4
4491, 57-4494, 57-4495, 57-4496, 57-4510; 57-4511; 57-4512; 57-4513; 57-4515; 57-4516; 57-4519; 57-4621; 57-
6001; 57-6002; 74-2444; 74-7257; 74-7296; 74-7340; 74-7341; 74-7342; 74-7343
```

# **Product Description**

Finished product.

#### **Product Use**

Arts and Crafts

### **Restrictions on Use**

None known.

## Details of the supplier of the safety data sheet

CRAYOLA LLC 1100 Church Lane Easton, PA 18044 Phone: 1-800-272-9652

Emergency Phone #: Health Emergency - Call local POISON CONTROL

E-mail: support@crayola.com

# Section 2 - HAZARDS IDENTIFICATION

# Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

None needed according to classification criteria.

## **GHS Label Elements**

#### Symbol(s)

None needed according to classification criteria.

### Signal Word

None needed according to classification criteria

### **Hazard Statement(s)**

None needed according to classification criteria.

Page 1 of 8 Issue date: 2021-12-23 Revision 11.0 Print date: 2021-12-23

SDS ID: CRAY-040

### Material Name: CRAYOLA® MODEL MAGIC

# **Precautionary Statement(s)**

#### **Prevention**

None needed according to classification criteria.

### Response

None needed according to classification criteria.

### Storage

None needed according to classification criteria.

### **Disposal**

Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

### **Other Hazards**

None known.

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
Not available	Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards.	100

### **Component Related Regulatory Information**

The chemical identity and/or percentage of composition is being withheld as a trade secret.

## Section 4 - FIRST AID MEASURES

### Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

### Skin

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

### Eyes

It is unlikely that emergency treatment will be required. Flush eyes with plenty of water for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

## **Ingestion**

Contact local poison control center or physician immediately.

### **Most Important Symptoms/Effects**

### Acute

No information on significant adverse effects.

### **Delayed**

No information on significant adverse effects.

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

## Section 5 - FIRE FIGHTING MEASURES

## **Extinguishing Media**

# **Suitable Extinguishing Media**

Water carbon dioxide, regular dry chemical, regular foam,

Page 2 of 8 Issue date: 2021-12-23 Revision 11.0 Print date: 2021-12-23

### Material Name: CRAYOLA® MODEL MAGIC

## **Unsuitable Extinguishing Media**

None known.

### **Hazardous Combustion Products**

Oxides of carbon

### **Advice for firefighters**

Slight fire hazard.

### **Fire Fighting Measures**

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

SDS ID: CRAY-040

## **Special Protective Equipment and Precautions for Firefighters**

Wear protective clothing and equipment suitable for the surrounding fire.

# Section 6 - ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

None.

## Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Collect spilled material in appropriate container for disposal.

### Section 7 - HANDLING AND STORAGE

### **Precautions for Safe Handling**

Wash thoroughly after handling. Use methods to minimize dust.

## Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

## **Incompatible Materials**

oxidizing materials

# Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Component Exposure Limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

### ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

### **Engineering Controls**

Based on available information, additional ventilation is not required.

## Individual Protection Measures, such as Personal Protective Equipment

#### **Eve/face protection**

Eye protection not required under normal conditions.

## **Skin Protection**

Protective clothing is not required under normal conditions.

## **Respiratory Protection**

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

### **Glove Recommendations**

Protective gloves are not required under normal conditions.

Page 3 of 8 Issue date: 2021-12-23 Revision 11.0 Print date: 2021-12-23

SDS ID: CRAY-040

## Material Name: CRAYOLA® MODEL MAGIC

# Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	fluffy solid compound	Physical State	solid
Odor	glue like	Color	various colors
Odor Threshold	(Slight)	рН	6.5 - 7.2
<b>Melting Point</b>	Not available	<b>Boiling Point</b>	Not available
<b>Boiling Point Range</b>	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	0.36 - 0.5
Water Solubility	(partially soluble )	Partition coefficient: n- octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	0.4 g/cm3
Physical Form	solid	Molecular Weight	Not available

# Section 10 - STABILITY AND REACTIVITY

# Reactivity

No hazard expected.

# **Chemical Stability**

Stable at normal temperatures and pressure.

# **Possibility of Hazardous Reactions**

Will not polymerize.

# **Conditions to Avoid**

None reported.

# **Incompatible Materials**

oxidizing materials

# **Hazardous decomposition products**

Oxides of carbon

# Thermal decomposition products

Page 4 of 8 Issue date: 2021-12-23 Revision 11.0 Print date: 2021-12-23

SDS ID: CRAY-040

### Material Name: CRAYOLA® MODEL MAGIC

Oxides of carbon

## Section 11 - TOXICOLOGICAL INFORMATION

### **Information on Likely Routes of Exposure**

#### Inhalation

No information on significant adverse effects.

### **Skin Contact**

No information on significant adverse effects.

#### **Eye Contact**

No information on significant adverse effects.

### **Ingestion**

No information on significant adverse effects.

## **Acute and Chronic Toxicity**

## **Component Analysis - LD50/LC50**

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

# **Product Toxicity Data**

## **Acute Toxicity Estimate**

No data available.

### **Immediate Effects**

No information on significant adverse effects.

### **Delayed Effects**

No information on significant adverse effects.

## **Irritation/Corrosivity Data**

None

### **Respiratory Sensitization**

No information available for the product.

### **Dermal Sensitization**

No information available for the product.

### **Component Carcinogenicity**

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

# **Germ Cell Mutagenicity**

No information available for the product.

### **Tumorigenic Data**

No data available

### **Reproductive Toxicity**

No information available for the product.

# **Specific Target Organ Toxicity - Single Exposure**

No target organs identified.

## **Specific Target Organ Toxicity - Repeated Exposure**

No target organs identified.

## **Aspiration hazard**

no data available.

Page 5 of 8 Issue date: 2021-12-23 Revision 11.0 Print date: 2021-12-23

SDS ID: CRAY-040

### Material Name: CRAYOLA® MODEL MAGIC

# **Medical Conditions Aggravated by Exposure**

No data available.

## Section 12 - ECOLOGICAL INFORMATION

### **Ecotoxicity**

No information available for the product.

### **Component Analysis - Aquatic Toxicity**

No LOLI ecotoxicity data are available for this product's components.

## Persistence and Degradability

No information available for the product.

### **Bioaccumulative Potential**

No information available for the product.

### **Mobility**

No information available for the product.

## Section 13 - DISPOSAL CONSIDERATIONS

## **Disposal Methods**

Dispose in accordance with all applicable federal, state/regional and local laws and regulations. Recycle if possible.

## **Component Waste Numbers**

The U.S. EPA has not published waste numbers for this product's components.

## Section 14 - TRANSPORT INFORMATION

### **US DOT Information:**

UN/NA #: Not regulated

#### **IATA Information:**

**UN#:** Not regulated

### **ICAO Information:**

UN#: Not regulated

## **IMDG Information:**

**UN#:** Not regulated

#### **International Bulk Chemical Code**

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

# Section 15 - REGULATORY INFORMATION

### **U.S. Federal Regulations**

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

## SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

No hazard categories applicable.

## **U.S. State Regulations**

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

### California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

Not listed under California Proposition 65.

Page 6 of 8 Issue date: 2021-12-23 Revision 11.0 Print date: 2021-12-23

### Material Name: CRAYOLA® MODEL MAGIC

## **Component Analysis - Inventory**

Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards. (Not available)

SDS ID: CRAY-040

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
No	No	No	No	No	No	No	No	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW, CN	VN (Draft)
No	No	No	No	No	No	No

# **U.S. Inventory (TSCA)**

All of the components of this product are listed on the TSCA Inventory. All components of this product are listed on the DSL.

## Section 16 - OTHER INFORMATION

### **NFPA Ratings**

Health: 1 Fire: 1 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### **Summary of Changes**

12/12/2019 - Update to Section(s) 1.

## Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act: CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC -European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F -Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; KR REACH CCA - Korea Registration and Evaluation of Chemical Substances Chemical Control Act; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts<sup>TM</sup> - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc -Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG -Transportation of Dangerous Goods; TH-TECI - Thailand - FDA Existing Chemicals Inventory (TECI);

Page 7 of 8 Issue date: 2021-12-23 Revision 11.0 Print date: 2021-12-23

## Material Name: CRAYOLA® MODEL MAGIC

TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

SDS ID: CRAY-040

### **Other Information**

### **Disclaimer:**

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.

Issue date: 2021-12-23 Revision 11.0 Print date: 2021-12-23