


ITEM # 25762.

1308-1501

Page 1



Decorative
Specialties
International
Incorporated

O
MATERIAL SAFETY DATA SHEET

February 1992

DSI, Inc.
Wyomissing Division
Tuckerton Road, Muhlenberg Township
Reading, PA 19605

Information Phone (215) 376-2810
Emergency Phone Same

SECTION I - MATERIAL IDENTIFICATION

Name - Wyomissing Black Correctable Ribbon
Chemical Identity - Trade Secret
CAS Numbers - Confidential

SECTION II - INGREDIENTS

Polyethylene film coated with oils, resins, and pigments.
Specific chemical identity of ingredients is withheld as a trade secret.

Exposure Limits (Mg/M³)

Ingredient	OSHA PEL 8-hr. TWA	ACGIH Limit	
		TWA	STEHL
Trade Secret	3.5	3.5	7
Trade Secret	5	5	10

SECTION III - PHYSICAL DATA


Appearance & Color: Black film - no odor
Water Solubility: 0%
Melting Point: 110°C
Vapor Pressure: Not determined
Vapor Density: Not determined
Specific Gravity: Not determined
Boiling Point: Not determined
Evaporation Rate: Not determined
Percent Volatile: 0
Pressurized: No
pH: Not determined

25762

page 2

25762

P.3/3



MATERIAL SAFETY DATA SHEET - WYOMISSING BLACK CORRECTABLE RIBBON

SECTION IV - FIRE & EXPLOSION DATA

Flash Point: 250°F
Autoignition Temperature: Not determined
Flammability Limits %: None
Extinguishing Media: Use water spray, dry chemical, foam, or carbon dioxide. If possible, water should be applied as a spray from a fogging nozzle since polyethylene is a surface burning material.

SECTION V - HEALTH HAZARD DATA

Effects of Overexposure: Acute - Contact with eyes may cause irritation. If ingested, product has low acute toxicity. Ingestion is possible but not likely.

Chronic - Not determined

Sensitizer: Not determined

Emergency First Aid Treatments - Flush eyes with water. Wash skin with soap and water. If irritation persists, call physician.

SECTION VI - REACTIVITY DATA

Stability: Stable
Conditions to Avoid: Strong oxidizing agents during transport, handling, and storage. May burn or react violently with fluorine-oxygen mixtures with 50-100% fluorine.
Hazardous Decomposition Temp: Approximately 250°C
Decomposition Products: Carbon Dioxide, Carbon Monoxide, Organic Nitrogen Compounds

APR 13 '94 01:13:41 DSI RDG CUST SVCE

Correctable film

P.2/3

pg 1 of 3

MATERIAL SAFETY DATA SHEET - WYOMISSING BLACK CORRECTABLE RIBBON

25762

SECTION VII - SPILL OR LEAK PROCEDURES

Waste Disposal - Single ribbon/cartridge may be disposed of as normal office trash. For larger quantities, incineration or, with approval, disposal in a secure landfill. Insure conformity with Government and State disposal regulations.

SECTION VIII - PERSONAL PRODUCTION INFORMATION

Normal Use Conditions:

Eye Protection:

None Required.

Protective Gloves:

Yes. To protect against skin & eye irritation.

Ventilation:

Adequate air movement in normal room conditions.

Respiratory Protection:

None Required.

SECTION IX - HANDLING & STORAGE PRECAUTIONS

Precautions to be taken in handling and storage: Avoid excess heat (<120°F) during storage. Avoid contact with strong oxidizing agents.

Other Precautions: Keep out of reach of children.

Post-It™ Fax Note		7671	Date	6-9-95	# of pages	11
To	Laura	From	Sheri			
Co./Dept	Christiana Center	Co.	Omni Plus			
Phone #		Phone #				
Fax #	317-543-4640	Fax #				