

RAMSEY®

MATERIAL SAFETY DATA SHEET

PREMULSION Preconditioning Prespray

Date Prepared: 03/05/1997
Date Revised: 05/20/1997

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name/Use: PREMULSION Preconditioning Prespray

MANUFACTURER

The Ramsey Company
120 Bartlett Street
Marlborough, MA 01752-3065

Ramsey Telephone Number: 800-421-2768
Emergency Telephone (24 hours): 800-228-5635 Ext 118

33360

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS NO.	% BY WEIGHT	OSHA PEL/STEL	ACGIH TLV/STEL
Water	7732-18-5	60 - 100	NA	NA
Linear primary alcohol ethoxylate	68439-46-3	5 - 10	NE	NE
Dipropylene glycol monomethyl ether	34590-94-8	1 - 5	100 ppm (600 mg/m3)/ 150 ppm (Skin)	100 ppm (606 mg/m3)/ 150 ppm (Skin)
d-Limonene	5989-27-5	1 - 5	NE	NE
Dye	NA	<0.1	NE	NE

NA - Not Applicable NE - Not Established

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Clear, Blue Liquid. Lemon Odor. May Cause Eye and Skin Irritation.

POTENTIAL HEALTH EFFECTS (See Section 11 for Toxicological Information)

PRIMARY ROUTE(S) OF EXPOSURE: Eye Skin Contact Skin Absorption
 Inhalation Ingestion

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES:

May cause eye irritation. Symptoms may include redness and pain.

SKIN:

May cause mild skin irritation. Symptoms may include redness.

INGESTION:

May cause mouth, throat and stomach irritation. Symptoms may include nausea, vomiting and diarrhea. May also cause central nervous system effects including headache, dizziness and weakness.

INHALATION:

High concentrations of vapor or mist may cause nose, throat and respiratory tract irritation. Symptoms may include coughing. High concentrations of vapor or mist may also cause central nervous system effects including headache, dizziness and nausea.

PREMULSION Preconditioning PresprayDate Prepared: 03/05/1997
Date Revised: 05/20/1997

EFFECTS OF CHRONIC EXPOSURE:

Prolonged or repeated exposure to an ingredient in this product may cause allergic skin reaction.

MEDICAL CONDITIONS AGGRAVATED:

May aggravate pre-existing eye, skin and respiratory conditions.

4. FIRST AID MEASURES**EYES:**

Flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get medical attention.

SKIN:

Flush with water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation develops.

INGESTION:

Do not induce vomiting. Drink large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

INHALATION:

Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get medical attention if symptoms persist.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: >200°F 93°C TCC

FLAMMABLE LIMITS:

Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

EXTINGUISHING MEDIA:

Use extinguishing media appropriate for surrounding fire.

HAZARDOUS COMBUSTION PRODUCTS:

Normal products of combustion (carbon monoxide and carbon dioxide).

FIRE AND EXPLOSION HAZARDS:

None known.

FIRE FIGHTING INSTRUCTIONS:

This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

PREMULSION Preconditioning Prespray

Date Prepared: 03/05/1997
Date Revised: 05/20/1997

6. ACCIDENTAL RELEASE MEASURES

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop, absorbent, or wet vacuum to collect material for proper disposal. Rinse area with water.

7. HANDLING AND STORAGE**HANDLING:**

Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Remove contaminated clothing. Wash clothing and equipment before reuse.

STORAGE:

Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**ENGINEERING CONTROLS:**

General room ventilation is expected to be adequate. If user operations generate vapor or mist, ventilation should be used to keep airborne concentrations below exposure limits (See Section 2, Composition/Information on Ingredients).

PERSONAL PROTECTION**EYE:**

Where eye contact is possible, wear safety glasses with side shields or chemical splash goggles (ANSI Z87.1 approved).

SKIN:

Where prolonged or repeated contact is possible, chemical-resistant clothing (e.g., gloves) is recommended.

RESPIRATORY:

No respiratory protection is required if ventilation is adequate.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Lemon

APPEARANCE: Clear, Blue

pH: 7.54

PERCENT VOLATILE BY WEIGHT: 89

VAPOR PRESSURE: Not Determined

VAPOR DENSITY: Not Determined

BOILING POINT: Not Determined

FREEZING/MELTING POINT: Not Determined

SOLUBILITY IN WATER: Complete

PREMULSION Preconditioning Prespray

Date Prepared: 03/05/1997
Date Revised: 05/20/1997

EVAPORATION RATE: Not Determined
 SPECIFIC GRAVITY: 1.003
 VISCOSITY: Water Thin
 OCTANOL/WATER PARTITION COEFFICIENT: Not Determined
 ODOR THRESHOLD: Not Determined

10. STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID):
 Stable.

POLYMERIZATION:
 Will not occur.

HAZARDOUS DECOMPOSITION:
 None.

INCOMPATIBLE MATERIALS:
 Oxidizers (e.g., bleach).

11. TOXICOLOGICAL INFORMATION

ACUTE DATA:

No data is available for this product. The following data are available for product ingredients:

PRODUCT/INGREDIENT	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)	INHALATION LC ₅₀ (rat)
Linear primary alcohol ethoxylate	1400-2700 mg/kg	>4000 mg/kg	Not Available
Dipropylene glycol monomethyl ether	5135 mg/kg	9500 mg/kg	Not Available
d-Limonene	4400 mg/kg	>5000 mg/kg	10.6 mg/L (5-hr)

SENSITIZATION DATA:

d-Limonene has been reported to cause allergic skin reaction (redness, swelling, and itching) in humans and in laboratory animals.

CHRONIC DATA:

Prolonged overexposure to dipropylene glycol monomethyl ether by inhalation has caused minor liver effects in laboratory animals; overexposure by dermal absorption has also caused minor kidney effects in laboratory animals. Prolonged overexposure to high concentrations of d-limonene by ingestion has caused kidney effects in laboratory animals.

REPRODUCTIVE/TERATOGENIC DATA:

No data available.

CARCINOGENIC/MUTAGENIC DATA:

Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

PREMULSION Preconditioning PresprayDate Prepared: 03/05/1997
Date Revised: 05/20/1997

SYNERGISTIC MATERIALS:

No data available.

12. ECOLOGICAL INFORMATION

This product is made with all biodegradable detergents. No other data available.

13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, as manufactured, is a RCRA non-hazardous waste in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

14. TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Not regulated

15. REGULATORY INFORMATION*Not meant to be all-inclusive—selected regulations represented.***UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**

311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hazard categories:
Immediate, Delayed.

313 REPORTABLE INGREDIENTS: Ingredients in this product are not currently subject to notification.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: None of the ingredients in this product are reportable under CERCLA.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: This product complies with all TSCA inventory requirements.

CANADA**WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):**

Class D- Division 2B, eye and skin irritant; potential skin sensitizer. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

PREMULSION Preconditioning Prespray


Date Prepared: 03/05/1997
Date Revised: 05/20/1997

16. OTHER INFORMATION

HMIS RATING

HEALTH	-	2
FLAMMABILITY		0
REACTIVITY		0
PERSONAL PROTECTION	-	

NFPA RATING



MSDS STATUS

Revision #: 1

This MSDS replaces the MSDS. Any changes in information are as follows:

APPROVED BY: EH&S/Regulatory Affairs

APPROVAL DATE: 05/20/1997

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.