

# SAFETY DATA SHEET

Revision Date 03/10/2016 REVISION NUMBER: 2

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

**Product name** 106 POL, Furniture Polish Plus

Other means of identification

Product code 117661 UN/ID No. 1950 Synonyms NONE

Recommended use of the chemical and restrictions on use

Recommended Use Furniture polish.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address Importer

See Distributor information.

Rochester Midland Limited
5353 John Lucas Drive

Suite 103

Burlington, ON L7L 6G5

Canada

**Distributor** 

Rochester Midland Corporation 155 Paragon Drive

Rochester, New York 14624 USA

Emergency telephone number

**EMERGENCY TELEPHONE** INFOTRAC: 1-800-535-5053

OUTSIDE U.S.: +1-352-323-3500 CANUTEC: 613-996-6666

# 2. HAZARDS IDENTIFICATION

### Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.

Flammable Aerosols Category 1

Label elements

**Emergency Overview** 

DANGER

Extremely flammable aerosol



Appearance White Physical state Aerosol Compressed Odor Fruity odor liquefied gas

# **Precautionary Statements - Prevention**

Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

### **Precautionary Statements - Storage**

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

### Hazards not otherwise classified (HNOC)

No information available **Other Information** 

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Butane	106-97-8	2.5 - 10	*
Polydimethylsiloxane	63148-62-9	2.5 - 10	*
Propane	74-98-6	1 - 2.5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### First aid measures

**General advice** No hazards which require special first aid measures.

Eye contact IF IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and

upper eyelids. Consult a physician.

**Skin contact** IF ON SKIN: Wash with soap and water.

**Inhalation** IF INHALED: Remove to fresh air.

Ingestion IF SWALLOWED: Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

#### Specific hazards arising from the chemical

Pressurized container may explode when exposed to heat or flame. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### **Explosion data**

Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do it without risk. Cool exposed containers with water spray.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. ELIMINATE all ignition sources (no smoking, flares,

sparks or flames in immediate area). Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal Protection. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate affected area.

**Environmental precautions** 

**Environmental precautions** Keep out of drains, sewers, streams, or other bodies of water.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Stop the flow of gas or remove cylinder to outdoor

location if this can be done without risk. If leak is in container or container valve, contact

the appropriate emergency telephone number in Section 1.

**Methods for cleaning up** Pick up with absorbant material. After cleaning, flush away traces with water.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. All equipment used

when handling the product must be grounded. Use spark-proof tools and explosion-proof

equipment. Use only in well-ventilated areas. Do not breathe

dust/fume/gas/mist/vapors/spray. Never pierce, drill, grind, cut, saw or weld any empty

container.

# Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from sunlight. Store at temperatures not exceeding 50 °C/ 122 °F. Emptied

containers may retain hazardous properties. Do not cut, puncture or weld on or near the container. Do not store near heat, sparks or flame. Store in a well ventilated area.

Incompatible materials Acids. Strong oxidizing agents.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

\_\_\_\_\_

**Exposure Guidelines** 

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
Butane	STEL: 1000 ppm	(vacated) TWA: 800 ppm	-
106-97-8	(vacated) TWA: 1900 mg/m <sup>3</sup>		
Propane	TWA: 1000 ppm	(vacated) TWA: 1000 ppm	2100 ppm
74-98-6	(vacated) TWA: 1800 mg/m <sup>3</sup>		
		TWA: 1000 ppm	
		TWA: 1800 mg/m <sup>3</sup>	

# **Appropriate engineering controls**

ENGINEERING CONTROLS Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Safety glasses are recommended to minimize eye contact.

**Skin and body protection**Chemical resistant gloves are recommended to minimize skin contact. Appropriate

protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this

Estimated for propellant

product.

**RESPIRATORY PROTECTION** Use approved NIOSH respiratory protection if TLV/PEL exceeded or if over exposure is

likely.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Aerosol Compressed liquefied gas

Appearance White **Odor** Fruity odor

Color White Odor threshold No information available

Property Values Remarks • Method

**pH** 10.4 +/- 0.5

Melting point/freezing point

No information available

Boiling point / boiling range 87 °C / 188.6 °F

Flash point -104.44 °C / -156 °F
Evaporation rate No information available

Flammability (solid, gas)

No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific gravity 0.966

Water solubilityNo information availableSolubility in other solventsNo information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information available

Dynamic viscosity

Explosive properties

Oxidizing properties

No information available
No information available
No information available

**Other Information** 

Softening point No information available VOC (EPA METH.24) (G/L): No information available

DensityNo information availableBulk densityNo information available

# 10. STABILITY AND REACTIVITY

# **REACTIVITY**

No data available

### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

### **CONDITIONS TO AVOID**

Extremes of temperature and direct sunlight.

# **Incompatible materials**

Acids. Strong oxidizing agents.

# **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information No data available.

**Inhalation** No data available.

**Eye contact** May cause slight irritation.

**Skin contact** Prolonged contact may lead to irritation and dermatitis.

**Ingestion** Large amounts may cause irritation, nausea, diarrhea.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Butane 106-97-8	-	-	= 658 g/m <sup>3</sup> (Rat) 4 h
Propane 74-98-6	-	-	= 658 mg/L (Rat) 4 h

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization
Germ cell mutagenicity
Carcinogenicity
Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.

# Numerical measures of toxicity - Product Information

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

PRODUCT COMPOSITION	DDUCT COMPOSITION Partition coefficient	
Butane	2.89	
106-97-8		
Propane	2.8	
74-98-6		

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

# 14. TRANSPORT INFORMATION

**DEPT. OF TRANSPORTATION** 

**UN/ID No.** 1950

Proper shipping name AEROSOLS, FLAMMABLE (each not exceeding 1 L capacity)

Hazard Class 2.1

**Description** 1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

**TDG** 

**UN/ID No.** 1950

Proper shipping name AEROSOLS, FLAMMABLE (each not exceeding 1 L capacity)

Hazard Class 2.

**Description** 1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

# 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies Complies **ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS** Complies **AICS** 

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD No
CHRONIC HEALTH HAZARD No
FIRE HAZARD YES
Sudden release of pressure hazard YES
REACTIVE HAZARD No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### **U.S. State Right-to-Know Regulations**

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Butane	0273	Listed	Listed
106-97-8			
Propane	1594	Listed	Listed
74-98-6			

# U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

### 16. OTHER INFORMATION

#### NFPA

Health hazards 1

Flammability 4

Instability 0

**Physical and Chemical Properties -**

**HMIS** 

Health hazards 1

Flammability 4

Physical hazards 0

Personal protection X

Revision Date 03/10/2016

**Revision Note** 

Revised the transportation classification in Section 14.

<u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

\*\*\* END OF SDS \*\*\*