

Section 1. Chemical product and company identification

Trade name : SOLID POWER
 Product use : Machine Warewashing Detergent
 Supplier : Ecolab Inc. Institutional Division
 370 N. Wabasha Street
 St. Paul, MN 55102
 1-800-352-5326
 Code : 949008
 Date of issue : 15-August-2005

EMERGENCY HEALTH INFORMATION: 1-800-328-0026
 Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Composition, Information on Ingredients

Name	CAS number	% by weight
Sodium hydroxide	1310-73-2	35
triphosphoric acid, pentasodium salt	7758-29-4	18
Sodium carbonate	497-19-8	20 - 50

Section 3. Hazards identification

Physical state : Solid. (Cast Solid)
 Emergency overview : WARNING!

Untreated contact may cause severe irritation or chemical burns.
 CAUSES SEVERE EYE AND SKIN IRRITATION.
 HARMFUL IF SWALLOWED.

Do not ingest. Do not get water inside container. Do not get in eyes, on skin or clothing.
 Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.

Potential acute health effects

Eyes : Severely irritating to the eyes. Untreated contact may cause chemical burns.
 Skin : Severely irritating to the skin. Untreated contact may cause severe irritation or chemical burns.
 Inhalation : No known significant effects or critical hazards.
 Ingestion : Harmful if swallowed. May cause burns to mouth, throat and stomach.

See toxicological information (section 11)

Section 4. First aid measures

Eye contact : In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention immediately.
 Skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
 Inhalation : If inhaled, remove to fresh air.
 Ingestion : Rinse mouth; then drink one or two large glasses of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Section 5. Fire fighting measures

Flash point : > 100°C
 Fire fighting media and instructions : Use an extinguishing agent suitable for surrounding fires.

Dike area of fire to prevent product run-off.
 No specific hazard.

Special protective equipment for fire-fighters : Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full facepiece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions : Ventilate area of leak or spill. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8). Stop leak if without risk. Prevent entry into sewers, water courses, basements or confined areas.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Methods for cleaning up : If emergency personnel are unavailable vacuum or carefully scoop up spilled materials and place in an appropriate container for disposal. Avoid creating dusty conditions and prevent wind dispersal.

Section 7. Handling and storage

Handling : Do not ingest. Do not get in eyes, on skin or on clothing. Keep container closed. Use only with adequate ventilation. Avoid breathing dust. Wash thoroughly after handling.
 Storage : Keep out of the reach of children. Do not get water inside container. Keep container tightly closed. Keep container in a cool, well-ventilated area.
 Store between -10 and 50°C

Section 8. Exposure Controls, Personal Protection

Engineering controls : Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. When working with concentrate have eyewash available.

Personal protection

Eyes : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
 Hands : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
 Skin : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.

Respiratory : No protective equipment is needed under normal use conditions.

Name : Sodium hydroxide

Exposure limits
 ACGIH TLV (United States, 9/2004):
 CEIL: 2 mg/m³ Form: All forms
 NIOSH REL (United States, 6/2001):
 CEIL: 2 mg/m³ Form: All forms
 OSHA PEL (United States, 6/1993):
 TWA: 2 mg/m³ 8 hour(s), Form: All forms

Section 9. Physical and chemical properties

Physical state : Solid. (Cast Solid)
 Color : Blue. (Light.)
 Odor : Faint Odor
 pH : 12.5 (1%)

49145

SH16H

Section 10. Stability and reactivity

Stability : The product is stable.
 Reactivity : Extremely reactive or incompatible with acids.
 Highly reactive with metals.
 Reactive with organic materials.

Section 11. Toxicological information

Potential acute health effects

Eyes : Severely irritating to the eyes. Untreated contact may cause chemical burns.
 Skin : Severely irritating to the skin. Untreated contact may cause severe initiation or chemical burns.

Inhalation : No known significant effects or critical hazards.

Ingestion : Harmful if swallowed. May cause burns to mouth, throat and stomach.

Chronic effects on humans : Contains material which causes damage to the following organs: lungs, upper respiratory tract, skin, eye, lens or cornea.

Section 12. Ecological information

Products of degradation : These products are carbon oxides (CO, CO₂) and water, sulfur oxides (SO₂, SO₃ ...), phosphates. Some metallic oxides.

Section 13. Disposal considerations

Waste disposal : The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

Section 14. Transport information

Regulatory Information	UN number	Proper shipping name	Class	Packing group	Additional information
DOT Classification	UN1759	Corrosive solids, n.o.s. (Sodium hydroxide)	8	III	Limited quantity Yes. Special provisions 128, 1B8, 1P3

APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

Section 15. Regulatory information

HCS Classification : Corrosive material
 Target organ effects
 U.S. Federal regulations : SARA 302/304/311/312 extremely hazardous substances: None.
 SARA 302/304 emergency planning and notification: None.
 TSCA 8(b) inventory : All materials are listed or exempt.
 California prop. 65 : No products were found.

Section 16. Other information

Hazardous Material Information System (U.S.A.)	Health	Fire hazard	Reactivity	Personal protection
	2	0	0	--

Date of issue : 15-August-2005.

Responsible name : Regulatory Affairs

Date of previous issue : 12-January-2005.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, **NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.**



Ecolab Center
370 Wabasha Street N.
St. Paul, Minnesota 55102

08/19/2006

KING COUNTY DIR ASSOC
18639 80TH AVE S
KENT WA 98032-1003

Supplier's information	KING COUNTY DIR ASSOC
Products:	SOLID POWER 4-9LB - 12948

Dear Customer:

Enclosed are new and revised Material Safety Data Sheets (MSDS) for the above listed products which you ordered recently from Ecolab Inc.

Our safety documents are updated as often as new data is available. Please replace the old versions with the most recent MSDSs enclosed.

If you distribute an Ecolab Inc. product to another place, you may be required to provide a copy of the MSDS to that location.

SAFETY REMINDER

- * Use products ONLY for recommended uses.
- * NEVER transfer product to unlabeled containers.
- * NEVER take product home – workplace use only.

If you are not directly responsible for the use of the MSDSs or the information they contain, we ask that you forward them to the appropriate person(s) in your organization. If you require further information regarding these MSDSs, please call:

Customer Service: 1-800-352-5326

Please note that as of December 2004, we are converting our MSDSs to the ANSI 16-section format. In the interim, you may receive two styles of MSDSs for different products. These will be the most current for each product. The MSDSs will be mailed separately so you may also receive two envelopes of MSDSs for a single order. Thank you for your patience as we move through this process.

Ecolab Inc.

49145