

Version 1.4	SDS Number: 400000005611	Revision Date: 09/09/2021
SECTION 1. IDENTIFICATION		

Productname	:	PURELL® Foodservice Surface Sanitizing Wipes
Manufacturer or supplier's	det	ails
Company name of supplier Address		GOJO Industries, Inc. One GOJO Plaza, Suite 500 Akron, Ohio 44311
Telephone	:	1 (330) 255-6000
Emergency telephone number	:	CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887: Outside USA & CANADA

Recommended use of the chemical and restrictions on use

Recommended use	:	Disinfectants and general biocidal products
-----------------	---	---

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
GHS label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	: H226 Flammable liquid and vapour.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. Response: P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Storage: P403 + P235 Store in a well-ventilated place. Keep cool. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.



Version 1.4

SDS Number: 400000005611

Revision Date: 09/09/2021

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 20 - < 30
Isopropyl Alcohol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
lf inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Get medical attention if irritation develops and persists.
In case of eye contact	: Rinse thoroughly with plenty of water, also under the eyelids. If easy to do, remove contact lens, if worn. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: None known.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media Unsuitable extinguishing media	 Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. High volume water jet
Specific hazards during firefighting	 Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health.
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	 In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,

: Use personal protective equipment.



Version 1.4	SDS Number: 400000005611	Revision Date: 09/09/2021
protective equipment and emergency procedures	Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas Material can create slippery cond	
Environmental precautions	: Discharge into the environment n Prevent further leakage or spillag Retain and dispose of contamina Local authorities should be advis cannot be contained.	e if safe to do so. ted wash water.
Methods and materials for containment and cleaning up	: Non-sparking tools should be use Soak up with inert absorbent mat Keep in suitable, closed containe Clean contaminated floors and ol observing environmental regulation	erial. rs for disposal. pjects thoroughly while

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: For personal protection see section 8. Avoid contact with eyes.
Conditions for safe storage	 No smoking. Take measures to prevent the build up of electrostatic charge. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Biological occupational exposure limits

Components	CAS-No.	Control parameters			Permissible concentratio n	
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at	40 mg/l	ACGIH BEI



rsion 1.4	SDS Number: 40000005611 Revision Date: 09/09/2021		
	end of workwee k		
Personal protective equip	ment		
Respiratory protection	: No personal respiratory protective equipment normally required.		
Eyeprotection	 No special protective equipment required. Wear face-shield and protective suit for abnormal processing problems. 		
Skin and body protection	 No special measures necessary provided product is used correctly. 		
Protective measures	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold	-	sheets colourless, light yellow alcohol-like No data available
рН	:	3.1 - 4.1, (20 °C)
Melting point/freezing point Initial boiling point and boiling		No data available 86.8 °C
range Flash point	:	33.5 °C Method : Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.974 g/cm3
Solubility(ies) Water solubility	:	soluble



Version 1.4	SDS Number: 400000005611	Revision Date: 09/09/2021
Partition coefficient: n- octanol/water	: Not applicable	
Auto-ignition temperature	: not determined	
Thermal decomposition	: The substance or mixture is no	ot classified self-reactive.
Viscosity Viscosity, kinematic	: No data available	
Explosiveproperties	: Not explosive	
Oxidizing properties	: The substance or mixture is no	ot classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Possibility of hazardous	: Vapours may form explosive mixture with air.
reactions	
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition	: No hazardous decomposition products are known.
products	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Eye contact Skin contact	of exposure
Acute toxicity Not classified based on availa	able information.
Product: Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components: Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour
Isopropyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg



Version 1.4

SDS Number: 400000005611

Revision Date: 09/09/2021

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Isopropyl Alcohol:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result: No eye irritation

Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Isopropyl Alcohol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Ethyl Alcohol: Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

Germ cell mutagenicity

Not classified based on available information.

<u>Components:</u> Ethyl Alcohol: Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test



	SDS Number: 400000005611 Revision Date: 09/09/20
	Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse Application Route: Ingestion Result: negative
Isopropyl Alcohol:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in viv cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection Result: negative
Carcinogenicity	
Not classified based on	available information.
Isopropyl Alcohol: Species: Rat Application Route: inhal Exposure time: 104 wee Method: OECD Test Gu Result: negative	eks
IARC	No component of this product present at levels greater than of equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than of equal to 0.1% is identified as a carcinogen or potential
	carcinogen by OSHA.
NTP	
NTP Reproductive toxicity Not classified based on	carcinogen by OSHA. No component of this product present at levels greater than of equal to 0.1% is identified as a known or anticipated carcinoge by NTP.
Reproductive toxicity	carcinogen by OSHA. No component of this product present at levels greater than of equal to 0.1% is identified as a known or anticipated carcinoge by NTP.
Reproductive toxicity Not classified based on <u>Components:</u> Ethyl Alcohol:	 carcinogen by OSHA. No component of this product present at levels greater than of equal to 0.1% is identified as a known or anticipated carcinoge by NTP. available information. Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 416



PURELL® Foodservic	e Surface Sanitizing Wip	pes
Version 1.4	SDS Number: 400000005611	Revision Date: 09/09/2021
	Application Route: Ingestion Result: negative	
Effects on foetal development	: Test Type: Embryo-foetal dev Species: Rat Application Route: Ingestion Result: negative	velopment
STOT - single exposure Not classified based on ava	ilable information.	
<u>Components:</u> Isopropyl Alcohol: Assessment: May cause dr	owsiness or dizziness.	
STOT - repeated exposure Not classified based on ava		
Repeated dose toxicity		
Components: Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y	n	
Isopropyl Alcohol: Species: Rat NOAEL: 5000 ppm Application Route: inhalatio Exposure time: 104 w Method: OECD Test Guidel		
Aspiration toxicity Not classified based on ava	ilable information.	
SECTION 12. ECOLOGICAL IN	FORMATION	
Ecotoxicity		
<u>Components:</u> Ethyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas Exposure time: 96 h	(fathead minnow)): > 1,000 mg/l
Toxicity to daphnia and othe aquatic invertebrates	er : EC50 (Daphnia magna (Wate Exposure time: 48 h	ər flea)): > 1,000 mg/l



sion 1.4	SE	OS Number: 400000005611	Revision Date: 09/09/2
aquatic invertebrates		Exposure time: 9 d	
(Chronic toxicity) Toxicity to bacteria	:	EC50 (Photobacterium phosphore Exposure time: 0.25 h	um): 32.1 mg/l
Isopropyl Alcohol:			
Toxicity to fish	:	LC50 (Pimephales promelas (fathe Exposure time: 96 h	ead minnow)): 10,000 mg
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea Exposure time: 24 h	a)): > 10,000 mg/l
Toxicity to bacteria	:	EC50 (Pseudomonas putida): > 1, Exposure time: 16 h	050 mg/l
Persistence and degradabili	ty		
<u>Components:</u>			
Ethyl Alcohol:			
Biodegradability	:	Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d	
Isopropyl Alcohol: Biodegradability	:	Result: rapidly degradable	
Bioaccumulative potential			
Components:			
Ethyl Alcohol:			
Partition coefficient: n- octanol/water	•	log Pow: -0.35	
Isopropyl Alcohol:		log Dow: 0.05	
Partition coefficient: n- octanol/water	•	log Pow: 0.05	
Mobility in soil			
No data available			
Other adverse effects			
No data available			
Product:			
Regulation		40 CFR Protection of Environmen Stratospheric Ozone - CAA Section	
		This product neither contains, nor	was manufactured with a

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.



Version 1.4	SDS Number: 400000005611	Revision Date: 09/09/2021
Contaminated packaging	: Dispose of as unused product. Empty containers should be tak handling site for recycling or dis	

SECTION 14. TRANSPORT INFORMATION

International Regulation

Ū.	
IATA-DGR	
UN/ID No.	: UN 1987
Proper shipping name	: Alcohols, n.o.s.
	(Ethanol, Propan-2-ol)
Class	: 3
Packing group	: 111
Packing instruction (cargo	: 366
aircraft)	
Packing instruction	: 355
(passenger aircraft)	
IMDG-Code	
UN number	: UN 1987
	: ALCOHOLS, N.O.S.
Proper shipping name	
	(Ethanol, Propan-2-ol)
Class	: 3
Packing group Labels	: III : 3
EmS Code	: 5 : F-E, S-D
Marine pollutant	: r-E, 3-D : no
National Regulations	. 110
-	
49 CFR	
UN/ID/NA number	: UN 1987
Proper shipping name	: Alcohols, n.o.s.
Class	: 3
Packing group	: III
ERG Code	: 127
Marine pollutant	: no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Fire Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.



sion 1.4	SDS Number: 40000000561	1 Revision	Date: 09/09/2
SARA 313	: The following component established by SARA Title		oorting levels
	Isopropyl Alcohol	67-63-0	1.0704 %
Clean Air Act			
Air Act Section 12 (40 CFR			•
Accidental Release Preven	ain any chemicals listed under th tion (40 CFR 68.130, Subpart F).		
Intermediate or Final VOC's			SOCMI
Ethyl Alcohol	64-17-5	20.5008 %	
Isopropyl Alcoho		1.0704 %	Air Act Socti
450.	ain any VOC exemptions listed u	nder the U.S. Clear	1 AIF ACL SECLI
Clean Water Act			
This product does not conta 307	ain any toxic pollutants listed und	er the U.S. Clean V	Vater Act Sec
US State Regulations			
Massachusetts Right To H	Know		
Ethyl Alco	hol	64-17-5	20 - 30 %
Isopropyl A	Alcohol	67-63-0	1 - 5 %
Hydrochlo	ric Acid	7647-01-0	0.1 - 1 %
Pennsylvania Right To Kr	างพ		
Water (Aqu		7732-18-5	70 - 90 %
Ethyl Alco	hol	64-17-5	20 - 30 %
lsopropyl A		67-63-0	1 - 5 %
Hydrochlo	ric Acid	7647-01-0	0.1-1%
Sodium Hy	ydroxide	1310-73-2	0 - 0.1 %
New Jersey Right To Know	w		
Water (Aqu		7732-18-5	70 - 90 %
Ethyl Alco		64-17-5	20 - 30 %
Monosodiu	um Citrate	18996-35-5	1 - 5 %
lsopropyl A	Alcohol	67-63-0	1 - 5 %
California Prop 65	This product does not rec Proposition 65.	quire a warning lab	el under Califo
	product are reported in the follo	owing inventories	:
	: On TSCA Inventory		
The components of this p TSCA AICS	-	ompliance with the i	nventory
TSCA	: On TSCA Inventory		-




Version 1.4	SDS Number: 400000005611	Revision Date: 09/09/2021
KECI	: On the inventory, or in compliance with the inventory	
PICCS	: On the inventory, or in compliance	e with the inventory
IECSC	: On the inventory, or in compliance	e with the inventory
NZIoC	: On the inventory, or in compliance	e with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION





HMIS III:



0 = not significant, 1 =Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 09/09/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.