

This safety data sheet complies with the requirements of 29CFR1910.1200.

1.0 IDENTIFICATION

PRODUCT NAME: McKesson Cold Compress
MFR #: 59-57C, 59-79C, 16-9701, 16-9702, 16-9703

DISTRIBUTED BY: McKesson Medical-Surgical Inc.
9954 Mayland Drive, Suite 4000
Richmond, Virginia 23233

INFORMATION LINE: 1-800-777-4908
Monday – Friday 8:00 a.m. – 6:00 p.m. EST

EMERGENCY PHONE: 1-800-451-8346 (3E Company)
Day or night

PRODUCT DESCRIPTION: McKesson Cold Compress

2.0 HAZARDS IDENTIFICATION

CLASSIFICATION

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classifications

Oxidizing Solid	Category 3
Eye Irritation	Category 2

Label Elements

Pictograms



Signal Word

Warning

Hazard Statements – Chemical from damages, un-activated cold pack may have the following hazards:

May intensify fire; oxidizer

Causes serious eye irritation if contacted.

May be harmful if inhaled or swallowed.

May cause headache, nausea, dizziness and other symptoms of central nervous system depression.

Contains material which may cause adverse blood system effects.

Precautionary Statements – Prevention

Keep away from heat/sparks/open flames/hot surfaces.
Store away from combustible materials.
Use personal protective equipment as required.
Wash face, hands and exposed skin thoroughly after handling.

Precautionary Statements – Response

If exposed or concerned: get medical attention.
If in eyes: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
If inhaled: remove victim to fresh air and keep at rest in a position comfortable for breathing.
If swallowed: contact Poison Control or doctor/physician. Rinse mouth.

Precautionary Statement – Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

Not applicable

Other information

- Read entire SDS for more information regarding this product.

3.0 COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

N/A

Substance: Mixture

CHEMICAL NAME	CAS NO.	WEIGHT (%)
Ammonium Nitrate	6484-52-2	40-70
Water	7732-18-5	30-60

59-57C and 59-79C only

CHEMICAL NAME	CAS NO.	WEIGHT (%)
Ammonium Nitrate	6484-52-2	Max 78
Magnesium Nitrate	13446-18-9	Not provided
Dolomite	16389-88-1	Not provided

4.0 FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

General Advice

Under conditions of normal use, no hazards are anticipated which require special first aid measures. Get medical attention if any symptoms develop or persist. Always have plenty of water available for first aid.

Eye Contact

Not an expected route of exposure. Chemical from damaged un-activated cold pack may have the following hazards: direct contact may cause slight redness. Chemical from damaged, activated cold pack may have the following hazards: contact with eyes may cause irritation. Symptoms may include: inflammation of eye tissue, characterized by redness, watering and/or itching. Recommended first aid exposure to chemical from damaged cold pack. Immediately flush eyes with plenty of water for at least 15 minutes lifting upper and lower eyelids occasionally. Get medical attention.

Skin Contact

Not an expected route of exposure. Chemical from damaged un-activated cold pack may have the following hazards: may cause mild skin irritation, red, puffy, itchy skin. Chemical from damaged activated cold pack may have the following hazards: prolonged contact may cause numbness, causes little or no irritation. Recommended first aid for exposure to chemical from damaged cold pack: flush with water for at least 15 minutes, while removing contaminated clothing. If irritation occurs or persists, seek medical attention.

Inhalation

Not an expected route of exposure. Chemical from damaged, un-activated cold pack may have the following hazards: inhalation of dust may cause shortness of breath, tightness of chest, a sore throat and cough. Imitating or noxious gases may be released during thermal decomposition. Inhalation of high concentrations may cause unconsciousness and cyanosis. Recommended first aid from chemical from damaged cold pack: immediately remove victim to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Get medical attention.

Ingestion

Not an expected route of exposure. Harmful effects not expected under normal usage. Chemical from damaged cold

pack may cause the following hazards: May cause irritation of mouth, throat and stomach. Symptoms may include nausea, vomiting, dizziness, drowsiness and other symptoms of central nervous system depression. Ingestion of large quantities of nitrates may affect oxygen transport in the blood system, causing methemoglobinemia. Large doses can cause shock, convulsions, coma and eventual death. Recommended first aid for exposure to chemical from damaged cold pack: do not induce vomiting. Have victim rinse mouth with water, and then give one to two glasses of water to drink. Never give anything by mouth to an unconscious person.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Symptoms

Conditions aggravated by overexposure

Harmful effects are not expected under normal usage.

Pre-existing skin, eye and respiratory disorders.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Note to Physicians

Treat symptomatically. Nitrates in large doses may cause significant vasodilation and hypotension. Pre-existing ischemic heart disease may be aggravated by these effects. In large ingestions, nitrates may cause methemoglobinemia. Methemoglobinemia should be suspected if cyanosis occurs. Methylene blue (1-2mg/kg IV over several minutes) is an effective antidote for symptomatic methemoglobinemia.

5.0 FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

Use water spray to fight fires. Use chemical extinguishing agents with caution. Some chemical extinguishing agents may accelerate decomposition.

Unsuitable extinguishing media: None

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

Explosive decomposition may occur under fire conditions. Heat of decomposition may cause closed containers to build up pressure and explode. Chemical from damaged, un-activated cold packs may have the following hazards: strong oxidizer which will promote combustion. Contact with combustible material may cause fire. This product reacts with acids evolving considerable heat.

Explosion data

Sensitivity to Mechanical Impact: None

Sensitivity to Static Discharge

None

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Fight fires from a safe distance. Evacuate personnel to safe area. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. A full-body chemical resistant suit should be worn move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

6.0 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions

Ensure clean up is performed by trained personnel only. Keep all other personnel upwind and away from the spill/release. Wear suitable protective equipment.

Other Information

Pick up loose items and place in container for disposal.

For Emergency Responders

Use personal protective equipment as required.

ENVIRONMENTAL PRECAUTIONS

Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Methods for Containment

Collect material for disposal. Do not use combustible absorbents such as sea dust.

Methods for Cleaning up

Ventilate area of release. Remove all sources of ignition. Remove combustible materials. Use only non-combustible absorbent material, such as vermiculite or sand, then place absorbent material into a container for later disposal. Use methods that do not generate dusts. Notify appropriate authorities as required.

7.0 HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Advice on Safe Handling

Use in a well ventilated area. Protect from damage. Keep away from heat and flames. Keep away from combustible

material. Recommended handling procedures when cold pack damaged: wear suitable protective clothing. Avoid breathing dust, vapor or mist. Do not ingest. Avoid contact with skin, eyes, clothing. Never return material to original container. Label containers appropriately. Wash hands thoroughly after handling.

CONDITIONS FOR SAFE STORAGE

Storage Conditions

Store in a cool dry, well ventilated area. Store away from incompatibles and out of direct sunlight. Inspect periodically for damage and leaks. No smoking in area. Protect from damage.

Incompatible Materials

Acids, reducing agents, combustible materials, organic materials, reactive materials, fuel, halogenated compounds, copper.

8.0 EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

Exposure Guidelines

Not Available

APPROPRIATE ENGINEERING CONTROLS

Not a hazard under normal conditions of use.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PPE

Eye/Face Protection

Wear safety glasses with side shields (or goggles)

Skin and Body Protection

Gloves impervious to the material are recommended. The suitability for a specific workplace should be discussed with the producers of protective gloves.

Respiratory Protection

Not available

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standard. Avoid contact with skin, eyes and clothing. Avoid breathing vapors, fumes or dust. Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Wear only clean, uncontaminated clothes when leaving place of work.

9.0 PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid/Liquid
Appearance	Solid in water bag
Color	No data
Odor	None
Odor Threshold	No data available

Property	Values	Remarks
pH (1-3% aqueous solution)	No data available	
Melting point/freezing point	No data available	
Boiling point/boiling range	Not applicable	
Flash point	None	
Evaporation rate	No data available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air <ul style="list-style-type: none"> • Upper flammability limit • Lower flammability limit 	Not applicable	Not Flammable
Vapor pressure	Not applicable	
Vapor density	Not applicable	
Specific Gravity	1.3	
Water solubility	100%	
Solubility in other solvents	No information available	
Partition coefficient	Not applicable	
Autoignition temperature	Not applicable	
Decomposition temperature	Not applicable	
Kinematic viscosity	Not applicable	
Dynamic viscosity	Not applicable	
Explosive properties	Not applicable	
Oxidizing properties	Not applicable	
Softening point	Not applicable	
Molecular weight	Not applicable	
VOC Content (%)	Not applicable	
Density	Not applicable	
Bulk Density	0.9g/cc	

10.0 STABILITY AND REACTIVITY

CHEMICAL STABILITY

Stable under normal condition of handling, use and transport. Chemical from damaged, un-activated cold pack may have the following hazards: strong oxidizer which will promote

combustion. Contact with combustible material may cause fire.

POSSIBILITY OF HAZARDOUS REACTIONS

Hazardous polymerization

None under normal processing.

Not expected under prescribed storage and handling conditions. Decomposition may occur at extremely high temperatures.

CONDITIONS TO AVOID

Avoid heat and open flame. Ensure adequate ventilation, especially in confined areas. Avoid contact with incompatible materials. Keep out of direct sunlight. Keep away from combustible material. Incompatible materials and dust generation.

INCOMPATIBLE MATERIALS

Avoid contact with reactive, combustible or organic materials such as wood, grain, organic chemicals, acids, corrosive liquids, sulfur, flammable liquids, chlorates, permanganates, finely divided materials, charcoal, coke, cork, or sawdust. Avoid contact with other oxidizers. Contact with alkaline materials may liberate urea.

HAZARDOUS DECOMPOSITION PRODUCTS

Material will not burn, but if involved in a fire, oxides of nitrogen may be generated. Exposure to heat may liberate urea fumes.

11.0 TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE

Product Information

There is no available data for the product itself.

Inhalation

Not available.

Eye Contact

Not available.

Skin Contact

Not available.

Ingestion

Not available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ammonium Nitrate 6484-52-2	>2217 mg/kg (rat) 4 h	N/A	➤ 88800 mg/m ³ , (rat) 4 h

INFORMATION ON TOXICOLOGICAL EFFECTS

No information available.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE

Skin corrosion/irritation

Very slight skin irritation

Serious eye damage/eye irritation	Very slight eye irritation
Irritation	Mild skin irritant. May cause eye irritation.
Corrosivity	Not classified.
Sensitization	Not expected to be a skin or respiratory sensitizer.
Germ cell mutagenicity	Not classified.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductivity Toxicity	Not expected to have other reproductive effects.
Developmental Toxicity	Not expected to be mutagenic in humans.
Teratogenicity	Not expected to be a teratogen.
STOT- single exposure	Not classified.
STOT – repeated exposure	Not classified.
Chronic Toxicity	No known effect.
Sub-chronic Toxicity	No known effect.
Target Organ Effects	No known effects under normal conditions.
Neurological Effects	Not applicable.
<u>NUMERICAL MEASURES OF TOXICITY</u>	See product information.

12.0 ECOLOGICAL INFORMATION

Environmental effects	This product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface water.
Bioaccumulation	No data available
Mobility	No data available
Ecotoxicological	No data available
Other adverse effects	No information available

13.0 DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

DISPOSAL OF WASTE	Handle waste according to recommendations in section 7. Empty containers retain residue (liquid and vapor) and can be dangerous. Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local,
--------------------------	--

state, provincial or federal environmental agency for specific details. If this product as supplied becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method.

State of California Hazardous Waste Status Not applicable

14.0 TRANSPORT INFORMATION

NOTE: THIS MATERIAL IS NOT SUBJECT TO REGULATION AS A HAZARDOUS MATERIAL FOR SHIPPING.

DOT	UN1942, Ammonium Nitrate, Limited Quantity, III As supplied, this product can be shipped as a limited quantity in the United States. The UN number placed within the square-on-point border appearing here, or the proper shipping name, must appear on the package in accordance with 49 CFR 172.315.
TDG	UN1942, Ammonium Nitrate, 5.1, III Within Canada only, this product may be shipped according to the 500Kg Gross Mass Exemption. Each means of containment must be marked with either the dangerous goods safety marks required by Part 4 of the Proper shipping name. The dangerous goods must be accompanied by a proper shipping document. Refer to TDG section 1.16 for detailed information on this exemption. If shipping by ground to destinations outside Canada, the limited quantity exemption may be used. Under the TDGR, refer to Section 1.17 for additional exemption information, if shipping under this exemption.
MEX	Not regulated
ICAO	UN1942, Ammonium Nitrate, 5.1, III
IATA	UN1942, Ammonium Nitrate, 5.1, III Refer to ICAO/IATA pack instruction: Y516, 616 or 518. Review all state and operator variations, prior to shipping this material.
IMDG	Not regulated
RID	Not regulated
ADR	Not regulated. European requirement only.
AND	Not regulated. European requirement only.

15.0 REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

TSCA All of the components of this product are listed on the US TSCA (Toxic Substances Control Act) inventory.

DSL/NDL All ingredients listed.

LEGEND

TSCA – United States Toxic Substances Control Act Section 8b Inventory

DSL/NDL – Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS – European Inventory of Existing chemical Substances/European List of Notified Chemical

ENCS – Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS – Phillipines Inventory of Chemicals and Chemical Substances

AICS – Australian Inventory of Chemical Substances

CEPA – Canadian Environmental Protection Act

US FEDERAL REGULATION

SARA 313

Section 303 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	Immediate

CWA (Clean Water Act)

Data not available

CERCLA

This material as supplied does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

OSHA

This material is not classified as hazardous under OSHA regulation (29CFR Part 1910.1200). This product is considered an “article” under 29 CFR 1910.1200.

US STATE REGULATIONS

CALIFORNIA PROPOSITION 65

This product does not contain any Proposition 65 chemicals.

NEW JERSEY LABELING REQUIREMENTS

Ammonium Nitrate (6482-52-2)

Water (7732-18-5)

US RIGHT TO KNOW REGULATIONS

Ammonium Nitrate (6484-52-2)

Massachusetts, Rhode Island, Pennsylvania

US EPA LABEL INFORMATION

Not applicable.

16.0 OTHER INFORMATION

NFPA

Health Hazards	1
Flammability	0
Instability	3
Special Hazards	OX

HMIS

Health Hazards	1
Flammability	0
Reactivity	3
Physical Hazards	Not rated
Personal Protection	Not rated

Prepared by

Cypress Medical Products, LLC Quality Assurance

Disclaimer



SDS DATE: 11/4/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

---End of Document---