

# SAFETY DATA SHEET

1. Identification	
Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
Product identifier	HP Color LaserJet W2023A-X-XC Magenta Print Cartridge
Other means of identification	None.
Recommended use	This product is a magenta toner preparation that is used in HP Color LaserJet Pro M454nw, M454dn, M454dw, MFP M479dw, M479fnw, M479fdn, M479fdw series printers.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	Distributor information
	HP Inc.
	1501 Page Mill Road
	Palo Alto, CA 94304-1112
	United States
Telephone	650-857-5020
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Not available.
Precautionary statement	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Hazard(s) not otherwise classified (HNOC)	None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

## 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<85
Pigment	Pigment	Trade Secret	<10

Material name: W2023A-X-XC

the chemical       dispersed in air.         Special protective equipment and precautions for firefighters       Not available.         Fire fighting equipment/instructions       If fire occurs in the printer, treat as an electrical fire.         Specific methods       None established.         6. Accidental release measures       None established.         Personal precautions, protective equipment and emergency procedures       Minimize dust generation and accumulation.         Methods and materials for containment and cleaning up       Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance wit federal, state, and local regulations.         7. Handling and storage       Nee pout of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use w adequate ventilation. Keep away from excessive heat, sparks, and open flames.         Conditions for safe storage,       Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store	Amorphous silica 4. First-aid measures halation	Amorphous silica		-		
4. First-aid measures         Inhilation         Move person to fresh air immediately. If irritation persists, consult a physician.         Skin contact       Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.         Eye contact       Do nor tub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for a teast 15 minutes or until particles are removed. If irritation persists, consult a physician.         Ingestion       Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.         Not available.       Not available.         Symptoms/effects, acute and delayed       CO2, water, or dry chemical         Dusuitable extinguishing media       None known.         Bysecific hazards arising from the chemical       None known.         Specific hazards arising from the chemical       Not available.         Specific nettods       Not available.         Bysecific methods       Not available.         Recours in the printer, treat as an electrical fire.       If fire occurs in the printer, treat as an electrical fire.         Bysecific methods       None established.         6. Accidental release measures       None established.         Personal precautions, proper fire powder can form explosive dust-air mixtures. Dispose of in compliance wit federal, state, and local regulations.         Portotiumental precaut	4. First-aid measures		7631-86-9	<3		
Move person to fresh air immediately. If irritation persists, consult a physician.         Skin contact       Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.         Eye contact       Do nor tub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for a least 15 minutes or until particles are removed. If irritation persists, consult a physician.         Ingestion       Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.         Not available.       Not available.         Suitable extinguishing media       CO2, water, or dry chemical         Unsuitable extinguishing media       None known.         Specific hazards arising from the chemical       None known.         Specific hazards arising from dispectations for firefighters       If free occurs in the printer, treat as an electrical fire.         Specific methods       None established.       6. Accidental release measures         Personal precautions, protective equipment and mergency procedures       Minimize dust generation and accumulation.         Specific methods       None water. If a vacuum is used, the motor must be rated as dust explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.         Fortogrammental precautions       Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.         Fortregingting media underecautions       Conditit	halation	Move person to freeh air immediately. If imitat		-0		
Skin contact         Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.           Eye contact         Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for a least 15 minutes or until particles are removed. If irritation persists, consult a physician.           ngestion         Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.           Not straighting media         Not available.           5. Fire-fighting measures         CO2, water, or dry chemical           Suitable extinguishing media         None known.           and precision         Like most organic material in powder form, toner can form explosive dust-air mixtures when fine dispersed in air.           Specific hazards arising from the chemical         Not available.           Specific methods         None established.           6. Accidental release measures         None established.           Specific methods         None established.           6. Accidental release measures         Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with damp clohn or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. The powder can form explosive dust-air mixtures. Dispose of in compliance with damp clohn or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. The powder can form explosive dust-air mixtures. Dispose of in compliance with dared closin proof. The powder can form explosive dust-air m		Move person to freeh air immediately. If inited				
Eye contact       Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for a least 15 minutes or until particles are removed. If irritation persists, consult a physician.         ngestion       Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.         Not stringortant symptoms/effects, acute and telayed       Not available.         5. Fire-fighting measures       Suitable extinguishing media         Suitable extinguishing media       Not known.         Insuitable extinguishing media       None known.         Specific hazards arising from the chemical       None known.         Specific hazards arising from regulpment instructions       Not available.         Specific methods       None established.         6. Accidental release measures       None established.         6. Accidental release measures       Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with dare quotations.         Personal precautions, cont flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.         Trivinonmental precautions       Do not flush into curface water or sanitary sewer system. See also section 13 Disposal considerations.         7. Handling and storage       Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use vadequate ventiliation. Keep away from excessive heat, sparks, and open flames.	kin contact	wove person to resh air immediately. If imitat	ion persists, consult a physicial	า.		
least 15 minutes or until particles are removed. If irritation persists, consult a physician.         ngestion       Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.         Most important symptoms/effects, acute and delayed       Not available.         5. Fire-fighting measures       CO2, water, or dry chemical         Suitable extinguishing media       CO2, water, or dry chemical         Unsuitable extinguishing media       None known.         Specific hazards arising from the chemical       None known.         Specific hazards arising from the chemical       Not available.         Specific nateral and precautions for firefighters       Not available.         Fire fighting       If fire occurs in the printer, treat as an electrical fire.         aquipment/instructions       None established.         6. Accidental release measures       Minimize dust generation and accumulation.         Personal precautions, protective equipment and precautions, protective equipment and precautions.       Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with derail, state, and local regulations.         Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.       Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.         7. Handling and storage       Keep out of the reach of children. Avoid inhalation of dust and contact wit			ap and water. Get medical atten	tion if irritation		
Wost important symptoms/effects, acute and felayed       physician.         5. Fire-fighting measures       Not available.         Suitable extinguishing media       CO2, water, or dry chemical         Jnsuitable extinguishing media       None known.         Specific hazards arising from he chemical       Like most organic material in powder form, toner can form explosive dust-air mixtures when fine dispersed in air.         Specific hazards arising from he chemical       Like most organic material in powder form, toner can form explosive dust-air mixtures when fine dispersed in air.         Specific nettors for firefighters       Not available.         Fire fighting squipment/instructions       If fire occurs in the printer, treat as an electrical fire.         Specific methods       None established.         6. Acccidental release measures         Personal precautions, protective equipment and mergency procedures         Wethods and materials for containment and cleaning up containment and cleaning up explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance witf federal, state, and local regulations.         Environmental precautions, considerations.       Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.         7. Handling and storage       Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use w adequate ventilation. Keep away from excessive heat, sparks, and open flames.         Conditions for	ye contact					
symptoms/effects, acute and delayed       CO2, water, or dry chemical         5. Fire-fighting measures       CO2, water, or dry chemical         Suitable extinguishing media       None known.         unsuitable extinguishing media       None known.         Specific hazards arising from the chemical       Like most organic material in powder form, toner can form explosive dust-air mixtures when fine dispersed in air.         Specific hazards arising from the chemical       Like most organic material in powder form, toner can form explosive dust-air mixtures when fine dispersed in air.         Specific protective equipment and precautions for firefighters       If fire occurs in the printer, treat as an electrical fire.         Specific methods       None established.         6. Accidental release measures       Minimize dust generation and accumulation.         Presonal precautions, protective equipment and semergency procedures       Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance wit federal, state, and local regulations.         Environmental precautions       Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.         7. Handling and storage       Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use w adequate ventilation. Keep away from excessive heat, sparks, and open flames. <td>gestion</td> <td></td> <td colspan="4">Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a</td>	gestion		Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a			
Suitable extinguishing media       CO2, water, or dry chemical         Unsuitable extinguishing media       None known.         Specific hazards arising from the chemical       Like most organic material in powder form, toner can form explosive dust-air mixtures when fine dispersed in air.         Special protective equipment and precautions for firefighters       None established.         Fire fighting equipment/instructions       If fire occurs in the printer, treat as an electrical fire.         Specific methods       None established.         6. Accidental release measures       Minimize dust generation and accumulation.         Personal precautions, protective equipment and senergency procedures       Minimize dust generation and accumulation.         Methods and materials for containment and cleaning up       Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance wit federal, state, and local regulations.         Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.         7. Handling and storage       Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use w adequate ventilation. Keep away from excessive heat, sparks, and open flames.         Conditions for safe storage,       Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store	ymptoms/effects, acute and	Not available.				
Unsuitable extinguishing mediaNone known.Specific hazards arising from the chemicalLike most organic material in powder form, toner can form explosive dust-air mixtures when fine dispersed in air.Special protective equipment and precautions for firefightersNot available.Fire fighting equipment/instructionsIf fire occurs in the printer, treat as an electrical fire.Special protective equipment aquipment/instructionsNone established.6. Accidental release measuresNone established.Personal precautions, protective equipment and emergency proceduresMinimize dust generation and accumulation.Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance wit federal, state, and local regulations.7. Handling and storage Precautions for safe handling Conditions for safe storage,Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use w adequate ventilation. Keep tightly closed and dry. Store at room temperature. Store	5. Fire-fighting measures					
mediaSpecific hazards arising from the chemicalLike most organic material in powder form, toner can form explosive dust-air mixtures when fine dispersed in air.Special protective equipment and precautions for firefightersNot available.Fire fighting equipment/instructionsIf fire occurs in the printer, treat as an electrical fire.Special protective equipment equipment/instructionsNone established.6. Accidental release measuresMinimize dust generation and accumulation.Personal precautions, protective equipment and emergency proceduresMinimize dust generation and accumulation.Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance wit federal, state, and local regulations.7. Handling and storageKeep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use v adequate ventilation. Keep away from excessive heat, sparks, and open flames.Conditions for safe storage,Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store	uitable extinguishing media	CO2, water, or dry chemical				
the chemicaldispersed in air.Special protective equipment and precautions for firefightersNot available.Fire fighting equipment/instructionsIf fire occurs in the printer, treat as an electrical fire.Specific methodsNone established.6. Accidental release measuresPersonal precautions, porotective equipment and emergency proceduresMinimize dust generation and accumulation.Methods and materials for containment and cleaning upSlowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance wit federal, state, and local regulations.7. Handling and storageKeep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use w adequate ventilation. Keep tightly closed and dry. Store at room temperature. StoreConditions for safe storage,Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store	•••	None known.				
and precautions for firefightersFire fighting equipment/instructionsSpecific methodsNone established.6. Accidental release measuresPersonal precautions, protective equipment and emergency proceduresMethods and materials for containment and cleaning upSlowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance wit federal, state, and local regulations.Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.7. Handling and storage Precautions for safe handlingKeep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use v adequate ventilation. Keep away from excessive heat, sparks, and open flames.Conditions for safe storage,		Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.				
equipment/instructions       None established.         Specific methods       None established.         6. Accidental release measures       Minimize dust generation and accumulation.         Personal precautions, protective equipment and emergency procedures       Minimize dust generation and accumulation.         Methods and materials for containment and cleaning up containment and cleaning up       Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.         F. Handling and storage       Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use w adequate ventilation. Keep away from excessive heat, sparks, and open flames.         Conditions for safe storage,       Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store		Not available.				
<ul> <li>6. Accidental release measures</li> <li>Personal precautions, protective equipment and emergency procedures</li> <li>Minimize dust generation and accumulation.</li> <li>Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance wit federal, state, and local regulations.</li> <li>Environmental precautions</li> <li>Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.</li> <li>T. Handling and storage</li> <li>Precautions for safe handling</li> <li>Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use w adequate ventilation. Keep away from excessive heat, sparks, and open flames.</li> <li>Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store</li> </ul>		If fire occurs in the printer, treat as an electrical fire.				
Personal precautions, protective equipment and emergency proceduresMinimize dust generation and accumulation.Methods and materials for containment and cleaning upSlowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.Environmental precautionsDo not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.7. Handling and storage Precautions for safe handling Conditions for safe storage,Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use way from excessive heat, sparks, and open flames. Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store	pecific methods	None established.				
protective equipment and emergency proceduresMethods and materials for containment and cleaning upSlowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.Environmental precautionsDo not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.7. Handling and storage Precautions for safe handlingKeep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use w adequate ventilation. Keep away from excessive heat, sparks, and open flames. Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store	5. Accidental release mea	asures				
containment and cleaning updamp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance wit federal, state, and local regulations.Environmental precautionsDo not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.7. Handling and storage Precautions for safe handling Conditions for safe storage,Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use w adequate ventilation. Keep away from excessive heat, sparks, and open flames. Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store	rotective equipment and	Minimize dust generation and accumulation.				
7. Handling and storage         Precautions for safe handling         Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use wadequate ventilation. Keep away from excessive heat, sparks, and open flames.         Conditions for safe storage,         Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store		explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with				
Precautions for safe handlingKeep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use water adequate ventilation. Keep away from excessive heat, sparks, and open flames.Conditions for safe storage,Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store	nvironmental precautions					
adequate ventilation. Keep away from excessive heat, sparks, and open flames. Conditions for safe storage, Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store	'. Handling and storage					
	recautions for safe handling					
	onditions for safe storage, Icluding any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Stor away from strong oxidizers.				

Components	Туре	Value
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3
Biological limit values	No biological exposure limits noted	for the ingredient(s).
Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3	(Total Dust), 5 mg/m3 (Respirable Fraction)
	ACGIH (TWA/TLV): 10 mg/m3 (Inha	alable Particulate), 3 mg/m3 (Respirable Particulate)
	Amorphous silica: USA OSHA (TW mg/m3	/A/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10
	TRGS 900 (Luftgrenzwert) - 10 mg/	m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

Appropriate engineering controls	Use in a well ventilated area.
Individual protection measures	s, such as personal protective equipment
Eye/face protection	Not available.
Skin protection	
Hand protection	Not available.
Other	Not available.
<b>Respiratory protection</b>	Not available.
Thermal hazards	Not available.
9. Physical and chemica	l properties
Appearance	Fine powder

Physical state         Solid.           Form         solid           Color         Magenta           Odor         Slight plastic odor           Odor threshold         Not available.           pl         Not available.           pl         Not available.           Initial boiling point and boiling         Not available.           Initial boiling point and boiling         Not applicable           Flash point         Not applicable           Evaporation rate         Not available.           Flarmability colid, gas)         Not available.           flarmability limit - lower (%)         Not available.           flarmability limit - lower (%)         Not available.           flarmability limit - lower (%)         Not available.           florigo pressure         Not available.           florigo pressure         Not available.           kaplosive limit - lower (%)         Not available.           florigo pressure         Not available.           kaplosive limit - lower (%)         Not available.           kaplosizable         Not available.           kaplosizable         Not available.           kaplosizable         Not available.           kaplosizable         Not available.
Color       Magenta         Odor       Slight plastic odor         Odor threshold       Not available.         pH       Not applicable         Melting point/freezing point       Not available.         Initial boiling point and boiling       Not available.         Initial boiling point and boiling       Not available.         Flash point       Not applicable         Evaporation rate       Not applicable.         Immability (solid, gas)       Not available.         Upper/lower flammability or explorable.       Not available.         flammability limit - lower (%)       Not available.         flammability of explicable       Not available.         flammability of explicable       Not available.         flammability limit - lower (%)       Not avail
OdorSlight plastic odorOdor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash pointNot applicableFlash point rateNot applicableEvaporation rateNot available.Flarmability (solid, gas)Not available.Flarmability limit - lower (%)Not flarmable.Flarmability limit - upper (%)Not available.Flarmability limit - lower (%)Not available.Explosive limit - upper (%)Not available.Kapoive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot applicableVapor densityNot applicableVapor densityNot applicable
Odor thresholdNot available.pHNot applicableMelting point/freezing pointNot available.Initial boiling point and boiling rangeNot applicableFlash pointNot applicableEvaporation rateNot applicableEvaporation rateNot applicableFlammability (solid, gas)Not available.Upper/lower flammability or explicitiesNot flammableFlammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Explosive limit - upper (%)Not available.Explosive limit - lower (%) Not available.Not available.Vapor pressureNot available.Vapor densityNot applicableSolubility(ies)Not applicable
pHNot applicableMelting point/freezing pointNot available.Initial boiling point and boiling rangeNot applicableFlash pointNot applicableEvaporation rateNot applicableFlammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Explosive limit - lower (%) (%)Not available.Explosive limit - lower (%) Not available.Not available.Vapor pressureNot available.Vapor densityNot applicableSolubility(ies)Not applicable
Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot applicableFlash pointNot applicableEvaporation rateNot applicableFlammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not flammableFlammability limit - upper (%)Not available.Explosive limit - upper (%)Not available.Kapor pressureNot available.Vapor pressureNot available.Vapor densityNot applicableSolubility(ies)Not applicable
Initial boiling point and boiling Not applicable range Flash point Not applicable Evaporation rate Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not flammable (%) Flammability limit - upper Not available. (%) Flammability limit - upper Not available. (%)
range       Not applicable         Flash point       Not applicable         Evaporation rate       Not applicable         Flammability (solid, gas)       Not available.         Upper/lower flammability or explosive limits       Not flammable         Flammability limit - lower       Not flammable         (%)       Not available.         Flammability limit - lower       Not available.         (%)       Not available.         Explosive limit - lower (%)       Not available.         Explosive limit - lower (%)       Not available.         Vapor pressure       Not available.         Vapor density       Not applicable         Solubility(ies)       Not applicable
Evaporation rateNot applicableFlammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lowerNot flammable(%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Vapor pressureNot applicableVapor densityNot applicableSolubility(ies)Not applicable
Flammability (solid, gas)       Not available.         Upper/lower flammability or explosive limits         Flammability limit - lower       Not flammable         (%)       Not available.         Flammability limit - upper       Not available.         (%)       Not available.         Explosive limit - lower (%)       Not available.         Explosive limit - upper (%)       Not available.         Vapor pressure       Not available.         Vapor density       Not applicable         Solubility(ies)       Not applicable
Upper/lower flammability or explosive limits         Flammability limit - lower       Not flammable         (%)       Not available.         Flammability limit - upper       Not available.         (%)       Not available.         Explosive limit - lower (%)       Not available.         Vapor pressure       Not available.         Vapor density       Not applicable         Solubility(ies)       Not applicable
Flammability limit - lower (%)Not flammableFlammability limit - upper (%)Not available.Explosive limit - lower (%) Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot applicableSolubility(ies)Not applicable
(%)Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot applicableVapor densityNot applicableSolubility(ies)Vation (%)
(%)Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot applicableVapor densityNot applicableSolubility(ies)Vation (%)
Explosive limit - upper (%)Not available.Vapor pressureNot applicableVapor densityNot applicableSolubility(ies)Vation (%)
Vapor pressure     Not applicable       Vapor density     Not applicable       Solubility(ies)     Not applicable
Vapor density     Not applicable       Solubility(ies)
Solubility(ies)
Solubility (water) Negligible in water. Partially soluble in toluene and xylene.
<b>( ( ) ( )</b>
Partition coefficient       Not available.         (n-octanol/water)       Not available.
Auto-ignition temperature Not applicable
Decomposition temperature > 392 °F (> 200 °C)
Viscosity Not applicable
Other information
Oxidizing properties No information available.
Percent volatile 0 % estimated
<b>Softening point</b> 176 - 266 °F (80 - 130 °C)
Specific gravity 1 - 1.2

# 10. Stability and reactivity

Reactivity Chemical stability Possibility of hazardous	Not available. Stable under normal storage conditions. Will not occur.
reactions Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers

Material name: W2023A-X-XC

# 11. Toxicological information

Information on likely routes of e	xposure
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Ingestion is not a likely route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Not available.
Information on toxicological effe	ects
Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	1
Respiratory sensitization	Based on available data, the classification criteria are not met.
Skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
IARC Monographs. Overall	Evaluation of Carcinogenicity
Not listed.	d Substances (20 CEP 1010 1001 1050)
Not regulated.	d Substances (29 CFR 1910.1001-1050)
	ogram (NTP) Report on Carcinogens
Not listed.	
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

# 12. Ecological information

Ecotoxicity	EC50: > 100 n	ng/l, Crustacea, 48.00 Hours	
Product		Species	Test Results
W2023A-X-XC			
Aquatic			
Algae	ErC50	Algae	> 100 mg/l, 72 Hours
Crustacea	EC50	Crustacea	> 100 mg/l, 48 Hours
Fish	LC50	Fish	> 100 mg/l, 96 Hours
Persistence and degradability Bioaccumulative potential	Not available. Not available.		
Mobility in soil	Not available.		
Other adverse effects	Not available.		

13. Disposal consideratio	ns		
Disposal instructions	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.		
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.		
14. Transport information			
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.		
15. Regulatory informatio	n		
US federal regulations	US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.		
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)		
Not regulated. CERCLA Hazardous Substa	nce List (40 CFR 302.4)		
Not listed. SARA 304 Emergency relea			
Not regulated. OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1050)		
Not regulated.			
-	eauthorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazard	dous substance		
Not listed.			
SARA 311/312 Hazardous chemical	No		
Other federal regulations			
Clean Air Act (CAA) Sectior	112 Hazardous Air Pollutants (HAPs) List		
	112(r) Accidental Release Prevention (40 CFR 68.130)		
Not regulated. Safe Drinking Water Act	Not regulated.		
(SDWA)			
US state regulations	Not Listed		
Regulatory information	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea New Zealand, and China.		
16. Other information, inc	luding date of preparation or last revision		
Issue date	31-Mar-2019		
Revision date	21-May-2019		
Version #	02		
Other information	This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).		

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

#### **Explanation of abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds