

SAFETY DATA SHEET

1. Identification

Product identifier	HP Color LaserJet Q3960A Black Print Cartridge
Other means of identification	Not available.
Recommended use	This product is a black toner preparation that is used in HP Color LaserJet 2550/2820/2840 series printers.
Recommended restrictions	None known.
Company identification	HP 1501 Page Mill Road Palo Alto, CA 94304-1112 United States Telephone 650-857-5020 HP health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Not available.
Precautionary statement	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Hazard(s) not otherwise classified (HNOC)	Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.
Supplemental information	This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

3. Composition/information on ingredients

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<85
Wax	Wax	Trade Secret	<15
Carbon black		1333-86-4	<8
Titanium dioxide		13463-67-7	<1

4. First-aid measures	
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
Most important symptoms/effects, acute and delayed	Not available.

5. Fire-fighting measures

	-
Suitable extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.
Fire-fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.
Specific methods	None established.
6. Accidental release me	asures
Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.
Methods and materials for containment and cleaning up	Not available.
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
7. Handling and storage	
Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Conditions for safe storage,	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

incompatibilities

away from strong oxidizers.

8. Exposure controls/personal protection

Occupational exposure limits

including any

ir Contaminants (29 CFR 1910.1000) Type	Value	Form
PEL	3.5 mg/m3	
PEL	15 mg/m3	Total dust.
ies Type	Value	Form
TWA	3 mg/m3	Inhalable fraction.
	Type PEL PEL Ies Type	Type Value PEL 3.5 mg/m3 PEL 15 mg/m3 Ies Type Value

Components	Туре	Value
Carbon black (CAS 1333-86-4)	TWA	0.1 mg/m3
Siological limit values	No biological exposure limits noted	for the ingredient(s).
Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3	(Total Dust), 5 mg/m3 (Respirable Fraction)
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate) TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)	
	UK WEL: 10 mg/m3 (Respirable D	ust), 5 mg/m3 (Inhalable Dust)
ppropriate engineering ontrols	Use in a well ventilated area.	
ndividual protection measur	es, such as personal protective e	quipment
Eye/face protection	Not available.	
Skin protection		
Hand protection	Not available.	
Other	Not available.	
Respiratory protection	Not available.	
Thermal hazards	Not available.	
9. Physical and chemica	I properties	
ppearance	Fine powder	
Physical state	Solid.	
Color	Black.	
)dor	Slight plastic odor	

PII	Not applicable
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not flammable
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not applicable
Solubility(ies)	
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable
Decomposition temperature	> 392 °F (> 200 °C)
Viscosity	Not applicable
Other information	
Percent volatile	0 % estimated

Not available. Not applicable

Material name: Q3960A

Odor threshold

pН

Softening point	212 - 302 °F (100 - 150 °C)
Specific gravity	1 - 1.2

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers
Hazardous decomposition products	Carbon monoxide and carbon dioxide.

11. Toxicological information

Symptoms related to the Not available. physical, chemical and toxicological characteristics Information on toxicological effects Acute toxicity Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Based on available data, the classification criteria are not met. irritation Respiratory or skin sensitization **Respiratory sensitization** Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. IARC Monographs. Overall Evaluation of Carcinogenicity Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans. 2B Possibly carcinogenic to humans. Titanium dioxide (CAS 13463-67-7) **Reproductive toxicity** Based on available data, the classification criteria are not met. Specific target organ toxicity Based on available data, the classification criteria are not met. - single exposure

Carbon black (CAS 1333-86-4) Acute		
Components	Species	Test Results
Further information	, ,	vailable for this specific formulation nealth effects and Section 4 for first aid measures.
Aspiration hazard	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.	
- single exposure		

Rat

Oral LD50

> 8000 mg/kg

12. Ecological information Ecotoxicity Product Species **Test Results** Q3960A Aquatic Fish LL50 Fish > 1000 mg/l, 96 Hours **Test Results** Components Species Titanium dioxide (CAS 13463-67-7) Aquatic Crustacea EC50 Water flea (Daphnia magna) > 1000 mg/l, 48 hours Fish LC50 Mummichog (Fundulus heteroclitus) > 1000 mg/l, 96 hours Persistence and degradability Not available. **Bioaccumulative potential** Not available. Mobility in soil Not available. Other adverse effects Not available. 13. Disposal considerations **Disposal instructions** Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle. 14. Transport information **Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID. 15. Regulatory information **US** federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. Superfund Amendments and Reauthorization Act of 1986 (SARA) **Hazard categories** Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No SARA 302 Extremely hazardous substance Not listed. SARA 311/312 No Hazardous chemical Other federal regulations Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

Titanium dioxide (CAS 13463-67-7) US. New Jersey Worker and Community Right-to-Know Act		
Carbon black (CAS 1333-86-4)		
Titanium dioxide (CAS 13	•	
•	and Community Right-to-Know Law	
Carbon black (CAS 1333- Titanium dioxide (CAS 13		
US. Rhode Island RTK		
Not regulated.		
US. California Proposition	65	
US - California Proposi	tion 65 - CRT: Listed date/Carcinogenic substance	
CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003		
	E [<= 10 MICROMETERS]) (CAS	
1333-86-4) TITANIUM DIOXIDE	(AIRBORNE, UNBOUND Listed: September 2, 2011	
	IRABLE SIZE) (CAS 13463-67-7)	
Regulatory information	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.	
16. Other information, including date of preparation or last revision		
Issue date	16-Apr-2015	
Revision date	18-Aug-2015	
Version #	03	
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.	
Revision Information	Other information, including date of preparation or last revision: Disclaimer	
Manufacturer information	HP 11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209	

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds