

# Safety Data Sheet

Table of contents

C6578 Series[C][3]-SDS\_UK-English-01.pdf

C6578 Series[M][3]-SDS\_UK-English-01.pdf

C6578 Series[Y][3]-SDS\_UK-English-01.pdf

### SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

of the mixture

C6578 Series[C][3]

Registration number

**Synonyms** None.

Issue date

15-May-2015

Version number 18

**Revision date** 12-Jul-2021 21-Jun-2021 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Inkjet printing Uses advised against None known. 1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West

300 Thames Valley Park Drive, Reading, RG6 1PT

Telephone +44 20 7660 0596 (Consumer) +44 20 7660 0403 (Commercial)

HP Inc. health effects line

1-800-457-4209 (Toll-free within the US) (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 1-208-323-2551 (Direct)

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

0207771 5307

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

#### **Health hazards**

Reproductive toxicity (fertility, the unborn Category 1B child)

H360 - May damage fertility or the unborn child.

### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 2-pyrrolidone

Hazard pictograms



Signal word Danger

**Hazard statements** 

May damage fertility or the unborn child. H360

Material name: C6578 Series[C][3] SDS UK 1/9

### **Precautionary statements**

Prevention

P280 Wear protective gloves/protective clothing/eye protection.

P202 Do not handle until all safety precautions have been read and understood.

P201 Obtain special instructions before use.

Response

P308 + P313 IF exposed or concerned: Get medical advice/attention.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information No

2.3. Other hazards Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

Chemical name		% (	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water		65-85	7732-18-5 231-791-2	-	-	
Classification:	-					
Trimethylolpropane		<10	77-99-6 201-074-9	01-2119486799-10-XXXX	-	
Classification:	Repr. 2;H361					
2-pyrrolidone		<7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H3	19, Repr. 1I	B;H360			
Ammonium nitrate		<2.5	6484-52-2 229-347-8	01-2119490981-27-XXXX	-	
Classification:	Skin Irrit. 2;H3	315, Eye Irri	t. 2;H319, STOT S	E 3;H335		
Di(tetramethylammonium) hthalocyanin-N29,N30,N3 onamide disulfonate, cuprate(2-)complex, deriv	1,N32)disulf	<2.5	12222-04-7 416-180-2	01-0000016309-68-XXXX	650-046-00-6	
Classification:	Acute Tox. 4;I	H302, STO1	Γ RE 2;H373, Aqua	atic Chronic 2;H411		
disodium hexadecyldipher disulfonate	nyloxide	<1	65143-89-7 -	-	-	
Classification:	Eve Dam 1:H	318. Aquati	c Acute 1:H400 A	quatic Chronic 1;H410		

### **Composition comments**

This ink supply contains an aqueous ink formulation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

### **SECTION 4: First aid measures**

General information Not available.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

### **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide.

For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.

Unsuitable extinguishing

media

media

None known

5.2. Special hazards arising from the substance or mixture

Not available.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Not available.

Special fire fighting procedures

Not available.

Specific methods

None established.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

Not available. For emergency responders

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. 6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

6.4. Reference to other

sections

For waste disposal, see section 13 of the SDS.

### **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any

incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

7.3. Specific end use(s)

Not available.

#### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

No exposure limits noted for ingredient(s). Occupational exposure limits

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no effect levels (DNELs)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	0.67 mg/kg bw/d	Systemic long term
		Inhalation	1.985 mg/m3	Systemic long term
		Oral	0.67 mg/kg bw/d	Systemic long term
	Workers	Dermal	4.2 mg/kg bw/d	Systemic long term
		Inhalation	29.62 mg/m3	Systemic long term
Ammonium nitrate (CAS 6484-52-2)	Consumers	Dermal	12.8 mg/kg	Systemic long term
		Inhalation	11.1 mg/m3	Systemic long term
		Oral	12.8 mg/kg	Systemic long term
	Workers	Dermal	21.3 mg/kg	Systemic long term
		Inhalation	37.6 mg/m3	Systemic long term

#### Predicted no effect concentrations (PNECs)

Components	Type	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittent	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant
Ammonium nitrate (CAS 6484-52-2)	Not applicable	Freshwater	0.45 mg/l	
		Intermittent	4.5 mg/l	Releases
		Marine water	0.045 mg/l	
		STP	18 mg/l	Sewage Treatment Plant

**Exposure guidelines** Exposure limits have not been established for this product.

8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

**General information** Not available. Not available. Eye/face protection

Skin protection

Not available. - Hand protection

- Other Use personal protective equipment to minimize exposure to skin and eye.

Respiratory protection Not available. Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Under extreme work place conditions, ink vapors may condense outside of the printing system.

The Waste Profile Datasheet for your printer at

https://hplatexknowledgecenter.com/applications/wasteprofiles contains more information on how

to properly handle and dispose of the condensate.

**Environmental exposure** 

controls

Not available.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Not available. **Appearance** Physical state Liquid. Not available. Form Color Cyan

Odor Not available. Odor threshold Not available. 6.2 - 6.8 Melting point/freezing point Not available. Initial boiling point and boiling

range

Not determined

>= 200.0 °F (>= 93.3 °C) Pensky-Martens Closed Cup Flash point

Not determined **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Flammability limit - lower Not determined

Flammability limit - upper

Not available.

Vapor pressure Not available. >= 1 (air = 1.0) Vapor density

Solubility(ies)

Solubility (water) Soluble in water

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Viscosity >= 2 cp

Not available. **Explosive properties** Not determined. Oxidizing properties

9.2. Other information

1 - 1.2 Specific gravity < 338 a/lVOC

### **SECTION 10: Stability and reactivity**

10.1. Reactivity Not available.

Stable under recommended storage conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon 10.6. Hazardous

dioxide and/or low molecular weight hydrocarbons. decomposition products

### **SECTION 11: Toxicological information**

Not available. **General information** 

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation. Eye contact Contact with eyes may result in mild irritation.

Health injuries are not known or expected under normal use. Ingestion

Not available. Symptoms

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met. Components **Species Test Results** 

2-pyrrolidone (CAS 616-45-5)

**Acute** 

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Non irritant in rabbit (OECD 404)

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Not classified as an irritant according to, OECD 405.

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity May damage fertility or the unborn child.

> 2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD

Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

Based on available data, the classification criteria are not met.

repeated exposure

Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

#### **SECTION 12: Ecological information**

12.1. Toxicity

Other information

**Product Species Test Results** 

Cyan ink

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) < 400 mg/l, 96 hours

Components **Species Test Results** 

2-pyrrolidone (CAS 616-45-5)

**Aquatic** 

EC50 Crustacea Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Ammonium nitrate (CAS 6484-52-2)

Aquatic

Crustacea EC50 Daphnia 100, 48 Hours LC50 Fish 100, 96 Hours

Di(tetramethylammonium)(29H,31H-phthalocyanin-N29,N30,N31,N32)disulfonamide disulfonate, cuprate(2-)complex, derivates (CAS 12222-04-7)

Aquatic

Crustacea EC50 Daphnia 50 - 100 mg/l, 48 Hours

Trimethylolpropane (CAS 77-99-6)

Aquatic

Crustacea EC50 Daphnia 102. 48 Hours Fish LC50 Fish 1000, 96 Hours

12.2. Persistence and

degradability

Not available.

No data available on bioaccumulation. 12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

-0.85 2-pyrrolidone

**Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB

12.6. Other adverse effects

assessment

Not a PBT or vPvB substance or mixture.

**SECTION 13: Disposal considerations** 

13.1. Waste treatment methods

Not available. Residual waste Contaminated packaging Not available. EU waste code Not available.

Disposal methods/information Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Not available.

### **SECTION 14: Transport information**

DOT

Not available. **UN** number UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

**Environmental hazards** 

Marine pollutant Nο

Special precautions for user Not available.

Material name: C6578 Series[C][3]

**IATA** 

**UN number** Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Environmental hazards None

Special precautions for user Not available.

**IMDG** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.
Subsidiary risk -

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

ADR

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Hazard No. (ADR) Not available.
Tunnel restriction code Not available.
Packing group Not available.
Environmental hazards None

Special precautions for user Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

**Authorizations** 

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Ammonium nitrate (CAS 6484-52-2)

Material name: C6578 Series[C][3] SDS LIK

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed

#### Other EU regulations

#### Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Ammonium nitrate (CAS 6484-52-2)

Direct Blue 199 Tetramethylammonium Salt (CAS Proprietary)

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further

rectifications and amendments).

National regulations

15.2. Chemical safety assessment

Not available.

See attached SUMI or GEIS document, if applicable.

#### **SECTION 16: Other information**

#### References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

H361 Suspected of damaging fertility or the unborn child by skin contact.

H373 May cause damage to organs through prolonged or repeated exposure by ingestion.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Revision information Training information

Follow training instructions when handling this material.

3. Composition / Information on Ingredients: Disclosure Overrides

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

#### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C6578 Series[C][3]

### Safe Use of Mixture Information (SUMI)

## Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.  Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace.
	Avoid direct contact.  Regular cleaning of equipment and work area.  Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions followed.
Risk management measure	s

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation

Wear safety glasses with side shields (or goggles), if splashing is possible.

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









#### Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





#### **Environmental measures**

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

### Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

#### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.

### SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

of the mixture

C6578 Series[M][3]

Registration number

None.

**Synonyms** 

Issue date Version number

15-May-2015 17

**Revision date** 

12-Jul-2021

Supersedes date

21-Jun-2021

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Inkjet printing

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West

300 Thames Valley Park Drive, Reading, RG6 1PT

Telephone

+44 20 7660 0596 (Consumer)

+44 20 7660 0403 (Commercial)

HP Inc. health effects line

(Toll-free within the US)

1-800-457-4209

(Direct)

1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US)

1-800-474-6836

(Direct)

1-208-323-2551

Email:

hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

0207771 5307

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

#### **Health hazards**

Reproductive toxicity (fertility, the unborn child)

Category 1B

H360 - May damage fertility or the unborn child.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 2-pyrrolidone

Hazard pictograms



Signal word Danger

**Hazard statements** 

May damage fertility or the unborn child. H360

Material name: C6578 Series[M][3] SDS UK 1/9

9184 Version #: 17 Revision date: 12-Jul-2021 Issue date: 15-May-2015

#### **Precautionary statements**

Prevention

Wear protective gloves/protective clothing/eye protection. P280

Do not handle until all safety precautions have been read and understood. P202

Obtain special instructions before use. P201

Response

IF exposed or concerned: Get medical advice/attention. P308 + P313

Storage

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

2.3. Other hazards Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eve contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water		65-85	7732-18-5 231-791-2	-	-	
Classification:	-					
Trimethylolpropane		<10	77-99-6 201-074-9	01-2119486799-10-XXXX	-	
Classification:	Repr. 2;H361					
2-pyrrolidone		<7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H3	19, Repr	. 1B;H360			
Ammonium nitrate		<2.5	6484-52-2 229-347-8	01-2119490981-27-XXXX	-	
Classification:	Skin Irrit. 2;H3	315, Eye	Irrit. 2;H319, STOT S	E 3;H335		
disodium hexadecyldiph disulfonate	nenyloxide	<1	65143-89-7 -	-	-	
Classification:	Eye Dam. 1;H	l318, Αqι	uatic Acute 1;H400, A	quatic Chronic 1;H410		

Composition comments This ink supply contains an aqueous ink formulation.

> 2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

### **SECTION 4: First aid measures**

Not available. **General information** 

4.1. Description of first aid measures

Move to fresh air. If symptoms persist, get medical attention. Inhalation

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical Skin contact

attention.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

Material name: C6578 Series[M][3] SDS UK 4.3. Indication of any immediate medical attention and special treatment needed Not available.

### **SECTION 5: Firefighting measures**

Not available. General fire hazards

5.1. Extinguishing media

Suitable extinguishing

For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide.

For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.

Unsuitable extinguishing

media

media

None known.

5.2. Special hazards arising from the substance or mixture Not available.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Not available.

Special fire fighting

procedures

Not available.

Specific methods None established.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Wear appropriate personal protective equipment.

personnel

Not available. For emergency responders

6.2. Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for

containment and cleaning up 6.4. Reference to other

Not available.

Not available.

sections

### **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

Not available. 7.3. Specific end use(s)

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

Recommended monitoring

procedures

Not available.

#### Derived no effect levels (DNELs)

Components	Type	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	0.67 mg/kg bw/d	Systemic long term
		Inhalation	1.985 mg/m3	Systemic long term
		Oral	0.67 mg/kg bw/d	Systemic long term
	Workers	Dermal	4.2 mg/kg bw/d	Systemic long term
		Inhalation	29.62 mg/m3	Systemic long term
Ammonium nitrate (CAS 6484-52-2)	Consumers	Dermal	12.8 mg/kg	Systemic long term
		Inhalation	11.1 mg/m3	Systemic long term
		Oral	12.8 mg/kg	Systemic long term
	Workers	Dermal	21.3 mg/kg	Systemic long term
		Inhalation	37.6 mg/m3	Systemic long term
edicted no effect concentrations (PNECs	s)			
Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
·		Intermittent	0.5 mg/l	Releases

Material name: C6578 Series[M][3]

3/9 9184 Version #: 17 Revision date: 12-Jul-2021 Issue date: 15-May-2015

Components	Туре	Route	Value	Form
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant
Ammonium nitrate (CAS 6484-52-2)	Not applicable	Freshwater	0.45 mg/l	
		Intermittent	4.5 mg/l	Releases
		Marine water	0.045 mg/l	
		STP	18 mg/l	Sewage Treatment Plant

Exposure guidelines Exposure limits have not been established for this product.

8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

**General information** Not available. **Eye/face protection** Not available.

Skin protection

- Hand protection Not available.

- Other Use personal protective equipment to minimize exposure to skin and eye.

Respiratory protection Not available.
Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Under extreme work place conditions, ink vapors may condense outside of the printing system.

The Waste Profile Datasheet for your printer at

https://hplatexknowledgecenter.com/applications/wasteprofiles contains more information on how

to properly handle and dispose of the condensate.

**Environmental exposure** 

controls

Not available.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance Not available.
Physical state Liquid.
Form Not available.
Color Magenta
Odor Not available.
Odor threshold Not available.
pH 6.2 - 6.8
Melting point/freezing point Not available.

Initial boiling point and boiling

range

Flash point

Not determined

>= 200.0 °F (>= 93.3 °C) Pensky-Martens Closed Cup

Evaporation rate Not determined Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not determined

Flammability limit - upper

(%)

Not available.

Vapor pressure Not determined Vapor density >= 1 (air = 1.0)

Solubility(ies)

Solubility (water) Soluble in water

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity >= 2 cp
Explosive properties Not available.

Oxidizing properties Not determined.

9.2. Other information

**Specific gravity** 1 - 1.2 **VOC** < 349 g/l

### **SECTION 10: Stability and reactivity**

**10.1. Reactivity** Not available.

**10.2. Chemical stability** Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

**10.6. Hazardous** Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

decomposition products dioxide and/or low molecular weight hydrocarbons.

### **SECTION 11: Toxicological information**

General information Not available.

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation.

Eye contact Contact with eyes may result in mild irritation.

**Ingestion** Health injuries are not known or expected under normal use.

Symptoms Not available.

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Components

Species

Test Results

2-pyrrolidone (CAS 616-45-5)

Acute Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Non irritant in rabbit (OECD 404)

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Not classified as an irritant according to, OECD 405.

Respiratory sensitizationBased on available data, the classification criteria are not met.Skin sensitizationBased on available data, the classification criteria are not met.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.

**Reproductive toxicity** May damage fertility or the unborn child.

2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD

Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Product Species Test Results

Magenta ink

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) < 400 mg/l, 96 hours

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Ammonium nitrate (CAS 6484-52-2)

**Aquatic** 

 Crustacea
 EC50
 Daphnia
 100, 48 Hours

 Fish
 LC50
 Fish
 100, 96 Hours

Trimethylolpropane (CAS 77-99-6)

**Aquatic** 

 Crustacea
 EC50
 Daphnia
 102, 48 Hours

 Fish
 LC50
 Fish
 1000, 96 Hours

12.2. Persistence and Not available.

degradability

**12.3. Bioaccumulative potential** No data available on bioaccumulation.

Partition coefficient n-octanol/water (log Kow)

2-pyrrolidone -0.85

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not available.

**12.5. Results of PBT and vPvB** Not a PBT or vPvB substance or mixture.

assessment

**12.6. Other adverse effects** Not available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

**Disposal methods/information** Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

### **SECTION 14: Transport information**

DOT

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

**Environmental hazards** 

Marine pollutant No

Special precautions for user Not available.

IATA

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

**Environmental hazards** None **Special precautions for user** Not available.

**IMDG** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

ADR

UN number Not available. UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Hazard No. (ADR)
Tunnel restriction code
Packing group
Environmental hazards
Special precautions for user
Not available.
None
Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Ammonium nitrate (CAS 6484-52-2)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Ammonium nitrate (CAS 6484-52-2)

Material name: C6578 Series[M][3]

#### All chemical substances in this HP product have been notified or are exempt from notification Other regulations

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

#### Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

**National regulations** 

Not available.

15.2. Chemical safety assessment

See attached SUMI or GEIS document, if applicable.

### **SECTION 16: Other information**

#### References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

H361 Suspected of damaging fertility or the unborn child by skin contact.

3. Composition / Information on Ingredients: Disclosure Overrides

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Revision information Training information

Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

9184 Version #: 17 Revision date: 12-Jul-2021 Issue date: 15-May-2015

#### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

National Toxicology Program NTP

Occupational Safety and Health Administration **OSHA** 

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

Superfund Amendments and Reauthorization Act of 1986 **SARA** 

Short-Term Exposure Limit **STEL** 

Toxicity Characteristics Leaching Procedure **TCLP** 

TLV Threshold Limit Value

**TSCA** Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: C6578 Series[M][3]

### Safe Use of Mixture Information (SUMI)

## Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.  Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace.
	Avoid direct contact.  Regular cleaning of equipment and work area.  Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions followed.
Risk management measure	s

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation

Wear safety glasses with side shields (or goggles), if splashing is possible.

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









#### Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





#### **Environmental measures**

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

### Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

#### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.

### SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

C6578 Series[Y][3]

of the mixture

Registration number -

Synonyms None.

Issue date 15-May-2015

Version number 15

Revision date 21-Jun-2021 Supersedes date 21-Jun-2021

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West 300 Thames Valley Park Drive, Reading, RG6 1PT

**Telephone** +44 20 7660 0596 (Consumer) +44 20 7660 0403 (Commercial)

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

0207771 5307

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

#### **Health hazards**

Reproductive toxicity (fertility, the unborn Category 1B child)

H360 - May damage fertility or the

unborn child.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 2-pyrrolidone

**Hazard pictograms** 



Signal word Danger

**Hazard statements** 

H360 May damage fertility or the unborn child.

Material name: C6578 Series[Y][3] sps uk

### **Precautionary statements**

Prevention

Wear protective gloves/protective clothing/eye protection. P280

Do not handle until all safety precautions have been read and understood. P202

Obtain special instructions before use. P201

Response

IF exposed or concerned: Get medical advice/attention. P308 + P313

Storage

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

2.3. Other hazards Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eve contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	(	60-85	7732-18-5 231-791-2	-	-	
Classification:	-					
Trimethylolpropane		<10	77-99-6 201-074-9	01-2119486799-10-XXXX	-	
Classification:	Repr. 2;H361					
2-pyrrolidone		<7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H319	9, Repr.	1B;H360			
Ammonium nitrate		<2.5	6484-52-2 229-347-8	01-2119490981-27-XXXX	-	
Classification:	Skin Irrit. 2;H31	5, Eye I	rrit. 2;H319, STOT S	E 3;H335		

### Composition comments

This ink supply contains an aqueous ink formulation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

### **SECTION 4: First aid measures**

General information Not available.

4.1. Description of first aid measures

Move to fresh air. If symptoms persist, get medical attention. Inhalation

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical Skin contact

attention.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

If ingestion of a large amount does occur, seek medical attention. Ingestion

4.2. Most important symptoms and effects, both acute and

Not available.

delayed 4.3. Indication of any

immediate medical attention and special treatment needed Not available.

### **SECTION 5: Firefighting measures**

General fire hazards Not available.

Material name: C6578 Series[Y][3]

5.1. Extinguishing media

Suitable extinguishing For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide.

For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.

Unsuitable extinguishing

media

media

None known.

5.2. Special hazards arising from the substance or mixture Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

Special fire fighting

procedures

Not available.

Specific methods None established.

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate personal protective equipment.

For emergency responders Not available. 6.2. Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Not available.

6.4. Reference to other

Not available.

sections

### **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any

Keep out of the reach of children. Keep away from excessive heat or cold.

incompatibilities

7.3. Specific end use(s) Not available.

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

No exposure limits noted for ingredient(s). Occupational exposure limits

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

### Derived no effect levels (DNELs)

Components	Type	Route	Value	Form	
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	0.67 mg/kg bw/d	Systemic long term	
		Inhalation	1.985 mg/m3	Systemic long term	
		Oral	0.67 mg/kg bw/d	Systemic long term	
	Workers	Dermal	4.2 mg/kg bw/d	Systemic long term	
		Inhalation	29.62 mg/m3	Systemic long term	
Ammonium nitrate (CAS 6484-52-2)	Consumers	Dermal	12.8 mg/kg	Systemic long term	
		Inhalation	11.1 mg/m3	Systemic long term	
		Oral	12.8 mg/kg	Systemic long term	
	Workers	Dermal	21.3 mg/kg	Systemic long term	
		Inhalation	37.6 mg/m3	Systemic long term	
dicted no effect concentrations (PNECs	s)				
Componente	Type	Pouto	Value	Form	

### Pre

Components	туре	Route	value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittent	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant
Ammonium nitrate (CAS 6484-52-2)	Not applicable	Freshwater	0.45 mg/l	
		Intermittent	4.5 mg/l	Releases

Components Type Route Value Form

> 0.045 mg/l Marine water

STP Sewage Treatment Plant 18 mg/l

Exposure limits have not been established for this product. **Exposure guidelines** 

8.2. Exposure controls

Appropriate engineering Use in a well ventilated area.

controls

Individual protection measures, such as personal protective equipment

Not available. **General information** Eye/face protection Not available.

Skin protection

Not available. - Hand protection

Use personal protective equipment to minimize exposure to skin and eye. - Other

Respiratory protection Not available. Not available. Thermal hazards

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Under extreme work place conditions, ink vapors may condense outside of the printing system.

The Waste Profile Datasheet for your printer at

https://hplatexknowledgecenter.com/applications/wasteprofiles contains more information on how

to properly handle and dispose of the condensate.

**Environmental exposure** 

controls

Not available.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Not available. **Appearance** 

**Physical state** Liquid. Form Not available. Color Yellow Not available. Odor Odor threshold Not available. 6.2 - 6.8

Melting point/freezing point Initial boiling point and boiling

Not available. Not determined

range

>= 200.0 °F (>= 93.3 °C) Pensky-Martens Closed Cup Flash point

**Evaporation rate** Not determined Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Not determined

Flammability limit - lower

(%)

Flammability limit - upper

Not available.

(%)

Vapor pressure Not determined Vapor density >= 1 (air = 1.0)

Solubility(ies)

Solubility (water) Soluble in water Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. >= 2 cp Viscosity **Explosive properties** Not available. Not determined. **Oxidizing properties** 

9.2. Other information

1 - 1.2 Specific gravity

**VOC** < 340 g/l

### **SECTION 10: Stability and reactivity**

10.1. Reactivity Not available.

**10.2. Chemical stability** Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available.

**10.5.** Incompatible materials Incompatible with strong bases and oxidizing agents.

**10.6. Hazardous**Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

decomposition products dioxide and/or low molecular weight hydrocarbons.

#### **SECTION 11: Toxicological information**

General information Not available.

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation.

Eye contact Contact with eyes may result in mild irritation.

Ingestion Health injuries are not known or expected under normal use.

Symptoms Not available.

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Components

Species

Test Results

2-pyrrolidone (CAS 616-45-5)

Acute Oral

LD50 Rat > 5000 mg/kg

**Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Non irritant in rabbit (OECD 404)

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Not classified as an irritant according to, OECD 405.

Respiratory sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity May damage fertility or the unborn child.

2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD

Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

#### **SECTION 12: Ecological information**

### 12.1. Toxicity

Material name: C6578 Series[Y][3] SDS UK

Product Species Test Results

Yellow ink

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) < 400 mg/l, 96 hours

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Ammonium nitrate (CAS 6484-52-2)

Aquatic

 Crustacea
 EC50
 Daphnia
 100, 48 Hours

 Fish
 LC50
 Fish
 100, 96 Hours

Trimethylolpropane (CAS 77-99-6)

Aquatic

 Crustacea
 EC50
 Daphnia
 102, 48 Hours

 Fish
 LC50
 Fish
 1000, 96 Hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient n-octanol/water (log Kow)

2-pyrrolidone -0.85

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not available.

**12.5. Results of PBT and vPvB** Not a PBT or vPvB substance or mixture.

assessment

12.6. Other adverse effects Not available.

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

Disposal methods/information Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

### **SECTION 14: Transport information**

DOT

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

**Environmental hazards** 

Marine pollutant No

Special precautions for user Not available.

IATA

**UN number** Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing groupNot available.Environmental hazardsNoneSpecial precautions for userNot available.

#### **IMDG**

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

ADR

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Hazard No. (ADR) Not available.
Tunnel restriction code Not available.
Packing group Not available.
Environmental hazards None
Special precautions for user Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed

### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Ammonium nitrate (CAS 6484-52-2)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Ammonium nitrate (CAS 6484-52-2)

Material name: C6578 Series[Y][3] SDS UK

#### Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand. and China.

#### Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

National regulations 15.2. Chemical safety

Not available.

See attached SUMI or GEIS document, if applicable.

### **SECTION 16: Other information**

#### References

assessment

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

H361 Suspected of damaging fertility or the unborn child by skin contact.

Revision information Training information Disclaimer 3. Composition / Information on Ingredients: Disclosure Overrides

Follow training instructions when handling this material.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: C6578 Series[Y][3]

9185 Version #: 15 Revision date: 21-Jun-2021 Issue date: 15-May-2015

#### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C6578 Series[Y][3] SDS UK

### Safe Use of Mixture Information (SUMI)

--

## Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.  Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace.
	Avoid direct contact.  Regular cleaning of equipment and work area.  Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions followed.
Risk management measures	

#### Risk management measures

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation Wear safety glasses with side shields (or goggles), if splashing is possible.

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









#### Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





#### **Environmental measures**

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

### Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

#### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.