

# Safety Data Sheet

**Material Name: CRAYOLA® PORTFOLIO SERIES ACRYLIC PAINT, AND ACRYLIC PAINT**

**SDS ID:**

## Section 1 - PRODUCT AND COMPANY IDENTIFICATION

### Material Name

CRAYOLA® PORTFOLIO SERIES ACRYLIC PAINT, AND ACRYLIC PAINT

### Synonyms

CRAYOLA PORTFOLIO SERIES ACRYLIC PAINT, AND ACRYLIC PAINT ; CRAYOLA PREMIER & ARTISTA II TEMPERA PAINTS; CRAYOLA PREMIER TEMPERA/POSTER PAINT; STANDARD & FLUORESCENT PRODUCT; PRODUCT CODE(S): PREMIER TEMPERA; 44-1997-X-XXX; 54-1116-X-XXX; 54-1216-X-XXX; 54-1232-X-XXX; 54-1997; 007 BROWN; 033-PEACH; 034-YELLOW; 036 ORANGE; 038-RED; 40-VIOLET(PURPLE); 042-BLUE; 044-GLOWING GREEN; 048-TURQUOISE; 051-BLACK; 053-WHITE; 069-MAGENTA; 083-GOLD; 084-SILVER; 093-FL ELECTRIC BLUE; 094-FL RED; 095-FL ORANGE YELLOW; 096-FL CHARTRUESE; 097- FL SHOCKING PINK; ARTISTA WASHABLE TEMPERA; 54-3115-X-XXX; 54-3132-X-XXX; 306-BLUE; 333-PEACH; 334-YELLOW; 336-ORANGE; 338-RED; 340-VIOLET; 344-GREEN; 348-TURQUOISE; 351-BLACK; 353-WHITE; 357-BROWN; 369-MAGENTA; 009-FL YELLOW; 020-ORANGE; 030-ORANGE RED; 040-RED; 060-MAGENTA; 070-BLUE; 080-GREEN; 090-PINK; 20-1997; 04-0414; 04-0614; 04-0615; 04-0616; 04-0617; 04-0666; 04-0697; 04-0698; 04-0699; 20-0004; 20-1000; 20-1996; 20-1997; 20-1998; 20-1999; 20-2002; 20-2003; 20-2004; 20-2005; 20-2006; 20-2007; 20-2008; 20-2010; 20-2011; 20-2012; 20-4016; 20-7416; 21-7417; 21-7419; 20-7420; 54-1106; 54-1206; 54-1208; 54-1208G; 54-1208S; 54-1216G; 54-1216S; 54-1264; 54-2000; 54-2009; 54-2010; 54-3108; 54-3181; 54-3182; 54-3183; 54-3115F; 54-3128; 54-3164 54-3601; 54-4411; VARNISH /GLAZE23-2436; 23-3301; 23-3302; 23-4087; 54-1801; 57-4003

### Product Description

Finished product.

### Product Use

Arts and Crafts for children

### Restrictions on Use

None known.

### Details of the supplier of the safety data sheet

CRAYOLA LLC  
1100 Church Lane  
Easton, PA 18044  
Phone: 1-800-272-9652  
Emergency Phone #: 1-800-535-5053 or call local POISON CONTROL  
E-mail: support@crayola.com

## Section 2 - HAZARDS IDENTIFICATION

### Other Hazards

None known.

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

| CAS           | Component Name   | Percent |
|---------------|--|---------|
| Not available | Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards. | 100     |

## Section 4 - FIRST AID MEASURES

### Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

# Safety Data Sheet

**Material Name: CRAYOLA® PORTFOLIO SERIES ACRYLIC PAINT, AND ACRYLIC PAINT**

**SDS ID:**

## **Skin**

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

## **Eyes**

It is unlikely that emergency treatment will be required. Flush eyes with plenty of water for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

## **Ingestion**

Call a poison control center or doctor immediately for treatment advice.

## **Most Important Symptoms/Effects**

### **Acute**

No information on significant adverse effects.

### **Delayed**

No information on significant adverse effects.

## **Indication of any immediate medical attention and special treatment needed**

Treat symptomatically and supportively.

## **Section 5 - FIRE FIGHTING MEASURES**

### **Extinguishing Media**

#### **Suitable Extinguishing Media**

Carbon dioxide, regular dry chemical, regular foam, water.

#### **Unsuitable Extinguishing Media**

None known.

### **Hazardous Combustion Products**

Oxides of carbon.

### **Advice for firefighters**

Slight fire hazard.

### **Fire Fighting Measures**

Move container from fire area if it can be done without risk. Use extinguishing agents appropriate for surrounding fire. Stay upwind and keep out of low areas. Avoid inhalation of material or combustion by-products.

### **Special Protective Equipment and Precautions for Firefighters**

Wear protective clothing and equipment suitable for the surrounding fire.

## **Section 6 - ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

Wear personal protective clothing and equipment, see Section 8.

### **Methods and Materials for Containment and Cleaning Up**

Stop leak if possible without personal risk. Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for reuse or disposal.

## **Section 7 - HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Wash thoroughly after handling.

### **Conditions for Safe Storage, Including any Incompatibilities**

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

# Safety Data Sheet

**Material Name: CRAYOLA® PORTFOLIO SERIES ACRYLIC PAINT, AND ACRYLIC PAINT**

**SDS ID:**

## **Incompatible Materials**

Oxidizing agents.

## **Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)**

There are no biological limit values for any of this product's components.

### **Engineering Controls**

Based on available information, additional ventilation is not required.

### **Individual Protection Measures, such as Personal Protective Equipment**

#### **Eye/face protection**

Eye protection not required under normal conditions.

#### **Skin Protection**

Protective clothing is not required under normal conditions.

#### **Respiratory Protection**

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

#### **Glove Recommendations**

Protective gloves are not required under normal conditions.

## **Section 9 - PHYSICAL AND CHEMICAL PROPERTIES**

|                                     |                          |  |                  |
|-------------------------------------|--------------------------|--|------------------|
| <b>Appearance</b>                   | various colors<br>liquid | <b>Physical State</b>                              | liquid           |
| <b>Odor</b>                         | slight odor.             | <b>Color</b>                                       | Not<br>available |
| <b>Odor Threshold</b>               | Not available            | <b>pH</b>  | 8.5 - 9          |
| <b>Melting Point</b>                | Not available            | <b>Boiling Point</b>                               | >100 °C          |
| <b>Boiling Point Range</b>          | Not available            | <b>Freezing point</b>                              | Not<br>available |
| <b>Evaporation Rate</b>             | Not available            | <b>Flammability (solid, gas)</b>                   | Not<br>available |
| <b>Autoignition<br/>Temperature</b> | Not available            | <b>Flash Point</b>                                 | Not<br>available |
| <b>Lower Explosive Limit</b>        | Not available            | <b>Decomposition temperature</b>                   | Not<br>available |
| <b>Upper Explosive Limit</b>        | Not available            | <b>Vapor Pressure</b>                              | Not<br>available |
| <b>Vapor Density (air=1)</b>        | Not available            | <b>Specific Gravity (water=1)</b>                  | Not<br>available |
| <b>Water Solubility</b>             | (Soluble )               | <b>Partition coefficient: n-<br/>octanol/water</b> | Not<br>available |
| <b>Viscosity</b>                    | 44.5 - 45.5              | <b>Kinematic viscosity</b>                         | Not<br>available |
| <b>Solubility (Other)</b>           | Not available            | <b>Density</b>                                     | 9.62 - 11.72     |

# Safety Data Sheet

Material Name: CRAYOLA® PORTFOLIO SERIES ACRYLIC PAINT, AND ACRYLIC PAINT

SDS ID:

**Physical Form**

Liquid.

**Molecular Weight**

Not available

## Section 10 - STABILITY AND REACTIVITY

### Reactivity

No reactivity hazard is expected.

### Chemical Stability

Stable at normal temperatures and pressure.

### Possibility of Hazardous Reactions

Will not polymerize.

### Conditions to Avoid

None reported.

### Incompatible Materials

Oxidizing agents.

### Hazardous decomposition products

None known.

### Thermal decomposition products

Oxides of carbon.

## Section 11 - TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### Inhalation

No information on significant adverse effects.

#### Skin Contact

No information on significant adverse effects.

#### Eye Contact

No information on significant adverse effects.

#### Ingestion

No information on significant adverse effects.

### Acute and Chronic Toxicity

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

#### Immediate Effects

No information on significant adverse effects.

#### Delayed Effects

None.

#### Irritation/Corrosivity Data

None.

#### Respiratory Sensitization

No information available for the product.

#### Dermal Sensitization

No information available for the product.

# Safety Data Sheet

**Material Name: CRAYOLA® PORTFOLIO SERIES ACRYLIC PAINT, AND ACRYLIC PAINT**

**SDS ID:**

## **Component Carcinogenicity**

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.  
No information available for the product.

## **Germ Cell Mutagenicity**

No information available for the product.

## **Tumorigenic Data**

No information available for the product.

## **Reproductive Toxicity**

No information available for the product.

## **Specific Target Organ Toxicity - Single Exposure**

No target organs identified.

## **Specific Target Organ Toxicity - Repeated Exposure**

No target organs identified.

## **Aspiration hazard**

Not expected to be an aspiration hazard.

## **Medical Conditions Aggravated by Exposure**

No data available.

## **Section 12 - ECOLOGICAL INFORMATION**

### **Component Analysis - Aquatic Toxicity**

No LOLI ecotoxicity data are available for this product's components.

### **Persistence and Degradability**

No information available for the product.

### **Bioaccumulative Potential**

No information available for the product.

### **Mobility**

No information available for the product.

## **Section 13 - DISPOSAL CONSIDERATIONS**

### **Disposal Methods**

Dispose of in accordance with all applicable federal, state and local regulations. Recycle if possible.

## **Section 14 - TRANSPORT INFORMATION**

### **US DOT Information:**

UN/NA #: Not regulated

### **IATA Information:**

UN#: Not regulated

### **ICAO Information:**

UN#: Not regulated

### **IMDG Information:**

UN#: Not regulated

### **TDG Information:**

UN#: Not regulated

# Safety Data Sheet

**Material Name: CRAYOLA® PORTFOLIO SERIES ACRYLIC PAINT, AND ACRYLIC PAINT**

**SDS ID:**

## International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

## Section 15 - REGULATORY INFORMATION

### U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

### SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

No hazard categories applicable.

### Component Analysis - Inventory

**Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards. (Not available)**

|    |    |    |    |    |           |           |                   |                   |
|----|----|----|----|----|-----------|-----------|-------------------|-------------------|
| US | CA | AU | CN | EU | JP - ENCS | JP - ISHL | KR KECI - Annex 1 | KR KECI - Annex 2 |
| No | No | No | No | No | No        | No        | No                | No                |

|                |    |    |    |         |        |            |
|----------------|----|----|----|---------|--------|------------|
| KR - REACH CCA | MX | NZ | PH | TH-TECI | TW, CN | VN (Draft) |
| No             | No | No | No | No      | No     | No         |

## Section 16 - OTHER INFORMATION

### NFPA Ratings

Health: 1 Fire: 1 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### Summary of Changes

10/19/2020 - Update to Section(s) 1.

### Revision date

09/13/2018

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals

# Safety Data Sheet

**Material Name: CRAYOLA® PORTFOLIO SERIES ACRYLIC PAINT, AND ACRYLIC PAINT**

**SDS ID:**

List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL) , KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; KR REACH CCA - Korea Registration and Evaluation of Chemical Substances Chemical Control Act; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX – Mexico; Ne- Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL – Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA – Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TH-TECI - Thailand - FDA Existing Chemicals Inventory (TECI); TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW – Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

## Other Information

### Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.