

# SAFETY DATA SHEET

Issuing Date 25-Sept-2015

Revision Date 25-Sep-2015

Revision Number 0



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publicly available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Name** Alphacolor® Biggie Cakes

### Other means of identification

Alphacolor® Products **12 pack ASST colors:** SKU 425009, includes Black, Blue, Green, Red, White and Yellow  
**Individual colors:** SKU 409011 (Black); 409037 (Blue); 409474 (Green); 409656 (Red); 409870 (White); 409896 (Yellow)

### Recommended use of the chemical and restrictions on use

**Recommended Use** Artist paints  
**Products comply with ASTM D4236/LHAMA**

### Details of the supplier of the safety data sheet

**Company Name** ACCO Brands Corporation

**Company Address** Four Corporate Drive  
Lake Zurich IL 60047  
US

**Company Phone Number** 800.222.6462

### Emergency telephone number

**Rocky Mountain Poison and Drug Center** 877.740.5015 (Toll Free)  
303.739.1110 (Outside US)

## 2. HAZARDS IDENTIFICATION

### Classification



Page 1 / 12

1279062 - Biggie Cakes - 12 pack ASST colors


Revision Date 12-Sep-2015

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

|                                   |             |
|-----------------------------------|-------------|
| Serious eye damage/eye irritation | Category 2  |
| Carcinogenicity                   | Category 1A |

**GHS Label elements, including precautionary statements**

**Emergency Overview**

|   |               |                       |                          |
|---|---------------|-----------------------|--------------------------|
| <b>Signal word</b>  | <b>Danger</b> |                       |                          |
| <b>Hazard Statements</b><br>Causes serious eye irritation<br>May cause cancer     |               |                       |                          |
|  |               |                       |                          |
| <b>Appearance</b>   | Dark          | <b>Physical state</b> | Solid                    |
|   |               | <b>Odor</b>           | No information available |

**Precautionary Statements - Prevention**

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Use personal protective equipment as required  
Wash face, hands and any exposed skin thoroughly after handling  
Wear eye/face protection

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Unknown Toxicity**

67.93 % of the mixture consists of ingredient(s) of unknown toxicity

**Other information**



1279062 - Biggie Cakes - 12 pack ASST colors

Revision Date 12-Sep-2015

No information available

**Interactions with Other Chemicals**

No information available.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Chemical Name   | CAS No     | Weight-% | Trade Secret |
|---|------------|----------|--------------|
| Kaolin  | 1332-58-7  | 15 - 40  | *            |
| Limestone   | 1317-65-3  | 10 - 30  | *            |
| Titanium dioxide  | 13463-67-7 | 3 - 7    | *            |
| Glycerin  | 56-81-5    | 1 - 5    | *            |
| Pigment blue 15   | 147-14-8   | 1 - 5    | *            |
| Carbon black  | 1333-86-4  | 0.1 - 1  | *            |
| Butanamide, 2,2' -[(3,3' -dichloro[1,1' -biphenyl]-4,4' -diyl | 5468-75-7  | 0.1 - 1  | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret

**4. FIRST AID MEASURES****First aid measures**

|                     |   |
|---------------------|---|
| <b>Eye contact</b>  | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists. |
| <b>Skin contact</b> | Wash with soap and water.   |
| <b>Inhalation</b>   | Remove to fresh air.  |
| <b>Ingestion</b>    | Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.   |

**Most important symptoms and effects, both acute and delayed**

|  |                    |
|--|--------------------|
| <b>Most Important Symptoms and Effects</b> | Burning sensation. |
|--|--------------------|

**Indication of any immediate medical attention and special treatment needed**

|                           |                        |
|---------------------------|------------------------|
| <b>Notes to Physician</b> | Treat symptomatically. |
|---------------------------|------------------------|



1279062 - Biggie Cakes - 12 pack ASST colors

Revision Date 12-Sep-2015

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

No information available.

#### Uniform Fire Code

Irritant: Solid

### Hazardous Combustion Products

Carbon oxides.

### Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

#### Other Information

Refer to protective measures listed in Sections 7 and 8.

### Environmental precautions

#### Environmental precautions

Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

#### Methods for containment

Prevent further leakage or spillage if safe to do so.

#### Methods for cleaning up

Pick up and transfer to properly labeled containers.



1279062 - Biggie Cakes - 12 pack ASST colors

Revision Date 12-Sep-2015

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Products** None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

| Chemical Name                  | ACGIH TLV  | OSHA PEL   | NIOSH IDLH  |
|--------------------------------|--|--|---|
| Kaolin<br>1332-58-7            | TWA: 2 mg/m <sup>3</sup> particulate matter containing no asbestos and <1% crystalline silica, respirable fraction | TWA: 15 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable fraction<br>(vacated) TWA: 10 mg/m <sup>3</sup> total dust<br>(vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction                                       | TWA: 10 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable dust  |
| Limestone<br>1317-65-3         | -  | TWA: 15 mg/m <sup>3</sup><br>TWA: 5 mg/m <sup>3</sup><br>(vacated) TWA: 15 mg/m <sup>3</sup><br>(vacated) TWA: 5 mg/m <sup>3</sup>   | TWA: 5 mg/m <sup>3</sup> respirable dust<br>TWA: 10 mg/m <sup>3</sup> total dust  |
| Titanium dioxide<br>13463-67-7 | TWA: 10 mg/m <sup>3</sup>  | TWA: 15 mg/m <sup>3</sup> total dust<br>(vacated) TWA: 10 mg/m <sup>3</sup> total dust   | IDLH: 5000 mg/m <sup>3</sup>  |
| Glycerin<br>56-81-5            | TWA: 10 mg/m <sup>3</sup> mist   | TWA: 15 mg/m <sup>3</sup> mist, total particulate<br>TWA: 5 mg/m <sup>3</sup> mist, respirable fraction<br>(vacated) TWA: 10 mg/m <sup>3</sup> mist, total particulate<br>(vacated) TWA: 5 mg/m <sup>3</sup> mist, respirable fraction |   |
| Pigment blue 15<br>147-14-8    | TWA: 1 mg/m <sup>3</sup> Cu dust and mist  | -  | IDLH: 100 mg/m <sup>3</sup> Cu dust and mist<br>TWA: 1 mg/m <sup>3</sup> Cu dust and mist   |
| Carbon black<br>1333-86-4      | TWA: 3 mg/m <sup>3</sup> inhalable fraction  | TWA: 3.5 mg/m <sup>3</sup><br>(vacated) TWA: 3.5 mg/m <sup>3</sup>   | IDLH: 1750 mg/m <sup>3</sup><br>TWA: 3.5 mg/m <sup>3</sup><br>TWA: 0.1 mg/m <sup>3</sup> Carbon black in presence of Polycyclic aromatic hydrocarbons PAH |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

### Appropriate engineering controls

**Engineering Measures** Showers



1279062 - Biggie Cakes - 12 pack ASST colors

Revision Date 12-Sep-2015

Eyewash stations  
Ventilation systems

**Individual protection measures, such as personal protective equipment**

|                                 |  |
|---------------------------------|--|
| <b>Eye/face protection</b>      | If splashes are likely to occur: Wear safety glasses with side shields (or goggles). None required for consumer use.   |
| <b>Skin and body protection</b> | Wear protective gloves and protective clothing.  |
| <b>Respiratory protection</b>   | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.   |
| <b>Hygiene Measures</b>         | Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. |

**9. PHYSICAL AND CHEMICAL PROPERTIES****Physical and Chemical Properties**

|                       |                          |                       |                          |
|-----------------------|--------------------------|-----------------------|--------------------------|
| <b>Physical state</b> | Solid                    | <b>Odor</b>           | No information available |
| <b>Appearance</b>     | Dark                     | <b>Odor Threshold</b> | No information available |
| <b>Color</b>          | No information available |                       |                          |

| <b><u>Property</u></b>                        | <b><u>Values</u></b>     | <b><u>Remarks</u></b> | <b><u>Method</u></b> |
|---|--------------------------|-----------------------|----------------------|
| <b>pH</b>                                     | No data available        | None known            |                      |
| <b>Melting / freezing point</b>               | No data available        | None known            |                      |
| <b>Boiling point / boiling range</b>          | No data available        | None known            |                      |
| <b>Flash Point</b>                            | No data available        | None known            |                      |
| <b>Evaporation Rate</b>                       | No data available        | None known            |                      |
| <b>Flammability (solid, gas)</b>              | No data available        | None known            |                      |
| <b>Flammability Limit in Air</b>              |                          |                       |                      |
| <b>Upper flammability limit</b>               | No data available        |                       |                      |
| <b>Lower flammability limit</b>               | No data available        |                       |                      |
| <b>Vapor pressure</b>                         | No data available        | None known            |                      |
| <b>Vapor density</b>                          | No data available        | None known            |                      |
| <b>Specific Gravity</b>                       | No data available        | None known            |                      |
| <b>Water Solubility</b>                       | No information available | None known            |                      |
| <b>Solubility in other solvents</b>           | No data available        | None known            |                      |
| <b>Partition coefficient: n-octanol/water</b> | No data available        | None known            |                      |
| <b>Autoignition temperature</b>               | No data available        | None known            |                      |
| <b>Decomposition temperature</b>              | No data available        | None known            |                      |
| <b>Kinematic viscosity</b>                    | No data available        | None known            |                      |
| <b>Dynamic viscosity</b>                      | No data available        | None known            |                      |
| <b>Explosive properties</b>                   | No data available        | None known            |                      |
| <b>Oxidizing properties</b>                   | No data available        | None known            |                      |

**Other Information**

|                                   |                   |
|-----------------------------------|-------------------|
| <b>Softening Point</b>            | No data available |
| <b>VOC Content (%)</b>            | No data available |
| <b>Particle Size</b>              | No data available |
| <b>Particle Size Distribution</b> |                   |



1279062 - Biggie Cakes - 12 pack ASST colors

Revision Date 12-Sep-2015

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Hazardous Polymerization

Hazardous polymerization does not occur.

### Conditions to avoid

None known based on information supplied.

### Incompatible materials

None known based on information supplied.

### Hazardous Decomposition Products

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.  |
| <b>Eye contact</b>  | Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.   |
| <b>Skin contact</b> | Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.   |
| <b>Ingestion</b>    | Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

#### Component Information

| Chemical Name                  | Oral LD50             | Dermal LD50          | Inhalation LC50 |
|--------------------------------|-----------------------|----------------------|-----------------|
| Titanium dioxide<br>13463-67-7 | > 10000 mg/kg ( Rat ) | -                    | -               |
| Glycerin<br>56-81-5            | -                     | > 10 g/kg ( Rabbit ) | -               |
| Carbon black<br>1333-86-4      | > 15400 mg/kg ( Rat ) | > 3 g/kg ( Rabbit )  | -               |

### Information on toxicological effects

**Symptoms** May cause redness and tearing of the eyes.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure



1279062 - Biggie Cakes - 12 pack ASST colors

Revision Date 12-Sep-2015

**Sensitization** No information available.**Mutagenic Effects** No information available.**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name   | ACGIH | IARC     | NTP   | OSHA |
|---|-------|----------|-------|------|
| Titanium dioxide<br>13463-67-7  |       | Group 2B |       | X    |
| Carbon black<br>1333-86-4   | A3    | Group 2B |       | X    |
| Butanamide, 2,2'-[(3,3'-<br>dichloro[1,1'-biphenyl]-4,4'-<br>diyl)<br>5468-75-7 |       | Group 1  | Known | X    |

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

**NTP (National Toxicology Program)**

Known - Known Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

**Reproductive toxicity** No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** No information available.**Chronic Toxicity**

No known effect based on information supplied. Contains a known or suspected carcinogen. Titanium dioxide has been classified by the International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B) by inhalation. Carbon black has been classified by the International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B) by inhalation.

**Target Organ Effects**

Eyes. Respiratory system. Skin. Gastrointestinal tract (GI).

**Aspiration Hazard** No information available.**Numerical measures of toxicity Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)**

36,818.00 mg/kg





1279062 - Biggie Cakes - 12 pack ASST colors

Revision Date 12-Sep-2015

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name               | Toxicity to Algae | Toxicity to Fish                                | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|-----------------------------|-------------------|---|----------------------------|----------------------------|
| Glycerin<br>56-81-5         |                   | 96h LC50: 51 - 57 mL/L<br>(Oncorhynchus mykiss) |                            | 24h EC50: > 500 mg/L       |
| Pigment blue 15<br>147-14-8 |                   | 48h LC50: > 100 mg/L<br>(Oryzias latipes)       |                            |                            |
| Carbon black<br>1333-86-4   |                   |   |                            | 24h EC50: > 5600 mg/L      |

### Persistence and Degradability

No information available.

### Bioaccumulation

| Chemical Name               | Log Pow |
|-----------------------------|---------|
| Glycerin<br>56-81-5         | -1.76   |
| Pigment blue 15<br>147-14-8 | 6.6     |

### Other adverse effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

#### Contaminated Packaging

Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name               | California Hazardous Waste |
|-----------------------------|----------------------------|
| Pigment blue 15<br>147-14-8 | Toxic                      |

## 14. TRANSPORT INFORMATION

### DOT

Proper Shipping Name  
Hazard Class

NOT REGULATED  
NON REGULATED  
N/A



1279062 - Biggie Cakes - 12 pack ASST colors

Revision Date 12-Sep-2015

|                             |               |
|-----------------------------|---------------|
| <b><u>TDG</u></b>           | Not regulated |
| <b><u>MEX</u></b>           | Not regulated |
| <b><u>ICAO</u></b>          | Not regulated |
| <b><u>IATA</u></b>          | Not regulated |
| <b>Proper Shipping Name</b> | NON REGULATED |
| <b>Hazard Class</b>         | N/A           |
| <b><u>IMDG/IMO</u></b>      | Not regulated |
| <b>Hazard Class</b>         | N/A           |
| <b><u>RID</u></b>           | Not regulated |
| <b><u>ADR</u></b>           | Not regulated |
| <b><u>ADN</u></b>           | Not regulated |

## 15. REGULATORY INFORMATION

### International Inventories

TSCA Complies  
 DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name              | CAS No   | Weight-% | SARA 313 - Threshold Values % |
|----------------------------|----------|----------|-------------------------------|
| Pigment blue 15 - 147-14-8 | 147-14-8 | 1 - 5    | 1.0                           |

#### **SARA 311/312 Hazard Categories**

|  |     |
|--|-----|
| <b>Acute Health Hazard</b>               | Yes |
| <b>Chronic Health Hazard</b>             | Yes |
| <b>Fire Hazard</b>                       | No  |
| <b>Sudden release of pressure hazard</b> | No  |
| <b>Reactive Hazard</b>                   | No  |

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name               | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-----------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Pigment blue 15<br>147-14-8 |                             | X                      |                           |                            |

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and



1279062 - Biggie Cakes - 12 pack ASST colors

Revision Date 12-Sep-2015

Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals.

| Chemical Name  | California Proposition 65 |
|--|---------------------------|
| Titanium dioxide - 13463-67-7  | Carcinogen                |
| Carbon black - 1333-86-4   | Carcinogen                |
| C.I. Food red 15 - 81-88-9   | Carcinogen                |
| Butanamide, 2,2'-[(3,3'-dichloro[1,1'-biphenyl]-4,4'-diyl) - 5468-75-7 | Carcinogen                |

**U.S. State Right-to-Know Regulations**

| Chemical Name                  | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|--------------------------------|------------|---------------|--------------|--------------|----------|
| Kaolin<br>1332-58-7            | X          | X             | X            |              |          |
| Limestone<br>1317-65-3         | X          | X             | X            |              |          |
| Titanium dioxide<br>13463-67-7 | X          | X             | X            |              |          |
| Glycerin<br>56-81-5            | X          | X             | X            | X            |          |
| Carbon black<br>1333-86-4      | X          | X             | X            |              | X        |

**International Regulations****Mexico****National occupational exposure limits**

| Component                                | Carcinogen Status | Exposure Limits   |
|--|-------------------|---|
| Kaolin<br>1332-58-7 ( 15 - 40 )          |                   | Mexico: TWA= 10 mg/m <sup>3</sup><br>Mexico: STEL= 20 mg/m <sup>3</sup> |
| Limestone<br>1317-65-3 ( 10 - 30 )       |                   | Mexico: TWA= 10 mg/m <sup>3</sup><br>Mexico: STEL= 20 mg/m <sup>3</sup> |
| Titanium dioxide<br>13463-67-7 ( 3 - 7 ) |                   | Mexico: TWA= 10 mg/m <sup>3</sup><br>Mexico: STEL= 20 mg/m <sup>3</sup> |
| Glycerin<br>56-81-5 ( 1 - 5 )            | -                 | 10mg/m <sup>3</sup> (mist) TWA  |
| Carbon black<br>1333-86-4 ( 0.1 - 1 )    |                   | Mexico: TWA 3.5 mg/m <sup>3</sup><br>Mexico: STEL 7 mg/m <sup>3</sup>   |

Mexico - Occupational Exposure Limits - Carcinogens

**Canada****WHMIS Hazard Class**

Not determined

**Consumer Product Labeling**

The labeling for this consumer product is regulated by the U.S. Consumer Product Safety Commission, and complies with the Federal Hazardous Substances Act (FHSA) as amended by the Federal Labeling of Hazardous Art Materials Act (LHAMA)/ASTM D-4236.

The information contained in this SDS is provided for information only. Nothing in this SDS is intended to imply that this product is covered by the HCS.



1279062 - Biggie Cakes - 12 pack ASST colors

Revision Date 12-Sep-2015

**Art & Creative Materials Institute, Inc. (ACMI)**

ACCO Brands is a member of the Art & Creative Materials Institute, Inc. (ACMI). This product is certified by ACMI to use ACMI's AP Approved Product seal. Products bearing the AP Approved Product Seal of ACMI are certified in a program of toxicological evaluation by a medical expert to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. This program is reviewed by ACMI's Toxicological Advisory Board. These products are certified by ACMI to be labeled in accordance with the Federal Hazardous Substances Act as amended by the Labeling of Hazardous Art Materials Act, and ASTM D 4236.

**16. OTHER INFORMATION**

|             |                       |     |                     |   |                        |   |   |
|-------------|-----------------------|-----|---------------------|---|------------------------|---|---|
| <b>NFPA</b> | <b>Health Hazards</b> | 2   | <b>Flammability</b> | 0 | <b>Instability</b>     | 0 | <b>Physical and<br/>Chemical Hazards -<br/>Personal Protection</b><br>X |
| <b>HMIS</b> | <b>Health Hazards</b> | 2 * | <b>Flammability</b> | 0 | <b>Physical Hazard</b> | 0 |   |

**Chronic Hazard Star Legend** \* = Chronic Health Hazard

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Revision Date** 12-Sep-2015

**Revision Note** No information available

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**

