SAFETY DATA SHEET

AMACO EST. 1919 brent

Revision Number 2

Revision date 17-Oct-2022

1. Identification Product identifier **Product Name** V-336 Royal Blue Other means of identification Product Code(s) FG00051 **UN number or ID number** UN3082 37425F, 37486R Synonyms Recommended use of the chemical and restrictions on use **Recommended use Restrictions on use** Details of the supplier of the safety data sheet Manufacturer Address American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com Emergency telephone number U.S. Poison Control 1-800-222-1222 **Emergency Telephone** 2. Hazard(s) identification

Classification

Skin sensitization	Category 1
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements Danger

H317 - May cause an allergic skin reaction H350 - May cause cancer H373 - May cause damage to organs through prolonged or repeated exposure



Physical state Liquid Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Contaminated work clothing must not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see .? on this label) IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

23.527 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
24.527 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
32.777 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
32.777 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
29.447 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Other information

May be harmful if swallowed. Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
C.I. Pigment Blue 73	68187-40-6	5 - <10
Kaolin	1332-58-7	3 - <5
Quartz	14808-60-7	3 - <5
Frits, chemicals	65997-18-4	3 - <5
C.I. Pigment Blue 28	1345-16-0	3 - <5
Spinels, chromium cobalt iron black	68186-97-0	0.1 - 1
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1

4. First-aid measures

Description of first aid measures		
General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.	
Inhalation	Remove to fresh air.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.	
Ingestion	Rinse mouth.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Itching. Rashes. Hives.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.	

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the Product is or contains a sensitizer. May cause sensitization by skin contact. chemical		
Explosion data Sensitivity to mechanical impact None.		
Sensitivity to static discharge	None.	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	

7. Handling and storage

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.	

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
C.I. Pigment Blue 73	TWA: 0.02 mg/m ³ Co inhalable	-	-
68187-40-6	particulate matter		
Kaolin	TWA: 2 mg/m ³ particulate	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
	and <1% crystalline silica,	fraction	
	respirable particulate matter	(vacated) TWA: 10 mg/m ³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Quartz	TWA: 0.025 mg/m ³ respirable	TWA: 50 μg/m³	IDLH: 50 mg/m ³ respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³ respirable
		respirable dust	dust
		: (250)/(%SiO2 + 5) mppcf	
		TWA respirable fraction	
		: (10)/(%SiO2 + 2) mg/m ³	
		TWA respirable fraction	
Frits, chemicals	STEL: 10 mg/m ³ Zr	TWA: 10 µg/m³ As	IDLH: 5 mg/m ³ As
65997-18-4	TWA: 0.01 mg/m ³ As	TWA: 50 μg/m ³ Pb	IDLH: 9 mg/m ³ Cd dust and
	TWA: 0.05 mg/m ³ Pb	TWA: 0.5 mg/m ³ Sb	fume
	TWA: 0.01 mg/m ³ Cd	TWA: 5 mg/m ³ Zr	IDLH: 50 mg/m ³ Sb
	TWA: 0.002 mg/m ³ Cd	(vacated) TWA: 0.5 mg/m ³ Sb	IDLH: 100 mg/m ³ Cu dust and
	respirable particulate matter	(vacated) TWA: 5 mg/m ³ Zr	mist
	TWA: 0.5 mg/m ³ Sb	(vacated) STEL: 10 mg/m ³ Zr	IDLH: 500 mg/m ³ Mn
	TWA: 1 mg/m ³ Cu dust and mist	(vacated) Ceiling: 5 mg/m ³	IDLH: 25 mg/m ³ Zr
	TWA: 3 mg/m ³ W respirable particulate matter in the absence	Ceiling: 5 mg/m ³ Mn	IDLH: 100 mg/m ³ Pb IDLH: 10 mg/m ³ Ni
	of cobalt		Ceiling: 0.002 mg/m ³ As 15 min
	TWA: 5 mg/m ³ Zr		Ceiling: 0.05 mg/m ³ V dust and
	TWA: 0.02 mg/m ³ Mn respirable		fume 15 min
	particulate matter		TWA: 0.5 mg/m ³ Sb
	TWA: 0.1 mg/m ³ Mn inhalable		TWA: 1 mg/m ³ Cu dust and
	particulate matter		mist
			TWA: 1 mg/m ³ Mn
			TWA: 5 mg/m ³ except Zirconium
			tetrachloride Zr

			TWA: 0.050 mg/m ³ Pb TWA: 0.015 mg/m ³ except Nickel carbonyl Ni STEL: 3 mg/m ³ Mn STEL: 10 mg/m ³ Zr
C.I. Pigment Blue 28 1345-16-0	TWA: 0.02 mg/m ³ Co inhalable particulate matter TWA: 1 mg/m ³ respirable particulate matter	-	-
Spinels, chromium cobalt iron black 68186-97-0	TWA: 0.02 mg/m ³ Co inhalable particulate matter	TWA: 0.5 mg/m ³ Cr (vacated) TWA: 0.5 mg/m ³ Cr	IDLH: 25 mg/m ³ Cr(III) TWA: 0.5 mg/m ³ Cr

Biological occupational exposure limits

Chemical name	ACGIH
C.I. Pigment Blue 73 68187-40-6	15 μ g/L - urine (Cobalt) - end of shift at end of workweek
Frits, chemicals 65997-18-4	200 μg/L - blood (Lead) - not critical 5 μg/g creatinine - urine (Cadmium) - not critical 5 μg/L - blood (Cadmium) - not critical
C.I. Pigment Blue 28 1345-16-0	15 μ g/L - urine (Cobalt) - end of shift at end of workweek
Spinels, chromium cobalt iron black 68186-97-0	15 μ g/L - urine (Cobalt) - end of shift at end of workweek

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Hand protection	Wear suitable gloves.	
Skin and body protection	Wear suitable protective clothing.	

Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are
	exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations	Do not e
	the second se

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties
Physical state Liquid
Appearance
Color
Odor
Odor
Odor threshold

Property
pHValues
No data availableMelting point / freezing pointNo data availableInitial boiling point and boiling rangeNo data availableNo data availableFlash pointNo data availableEvaporation rateNo data available

Remarks • Method None known None known None known None known None known

Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	410 °C / 770 °F	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
VOC Content (%)	No information available	
10. Stability and reactivity		
nor otability and redotivity		

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products None known based on information supplied.	

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
Ingestion	May be harmful if swallowed.
Symptoms related to the physical, o	chemical and toxicological characteristics
Symptoms	Itching. Rashes. Hives.
Acute toxicity	
Numerical measures of toxicity	

Numerical measures of toxicity No information available

The following values are calculated based on chapter 3.1 of the GHS document
ATEmix (oral)2,228.20 mg/kg

ATEmix (dermal) 28,491.10 mg/kg ATEmix (inhalation-dust/mist) 31.80 mg/l

23.527 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 24.527 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity 32.777 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 32.777 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor) 29.447 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
C.I. Pigment Blue 73	-	-	= 5.3 mg/L (Rat) 4 h
68187-40-6			> 5.3 mg/L (Rat) 4 h
Kaolin	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
1332-58-7			
Frits, chemicals	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
65997-18-4			
Spinels, chromium cobalt iron	-	-	> 5.09 mg/L (Rat)4 h
black			-
68186-97-0			
1,3,5-Triazine-1,3,5(2H,4H,6H)-t	= 763 mg/kg (Rat)	> 4000 mg/kg (Rat)	= 0.4 mg/L (Rat) 4 h
riethanol			= 0.338 mg/L (Rat) 4 h
4719-04-4			-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
C.I. Pigment Blue 73 68187-40-6	A3	Group 2B	Reasonably Anticipated	х
Quartz 14808-60-7	A2	Group 1	Known	Х
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	Х
C.I. Pigment Blue 28 1345-16-0	A3	Group 2B	Reasonably Anticipated	х
Spinels, chromium cobalt iron black 68186-97-0	A3	Group 2B Group 3	Reasonably Anticipated	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.
STOT - single exposure	No information available.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Target organ effects	Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).
Aspiration hazard	No information available.
Other adverse effects	
Interactive effects	

12. Ecological information

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,3,5-Triazine-1,3,5(2H,4	-	LC50: =16.07mg/L (96h,	-	-
H,6H)-triethanol		Danio rerio)		
4719-04-4				

Persistence and degradability

Bioaccumulation	There is no data for this product.
Other adverse effects	No information available.

13. Disposal considerations		
Disposal methods		
Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.	
Contaminated packaging	Do not reuse empty containers.	
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.	

14. Transport information

DOT UN number or ID number Proper shipping name Transport hazard class(es) Packing group Special Provisions DOT Marine Pollutant Marine pollutant Description Emergency Response Guide Number	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III 8, 146, 173, 335, IB3, T4, TP1, TP29 PP Frits, chemicals UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, Marine pollutant 171
TDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Special Provisions Marine pollutant name Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III 16, 99 Frits, chemicals. UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
MEX UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Technical Name Description Special Provisions	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III Frits, chemicals UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III 274, 331, 335
ICAO (air) UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Description Special Provisions	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III A97, A158, A197, A215
IATA UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Technical Name Description Special Provisions ERG Code	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III Frits, chemicals UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III A97, A158, A197 9L
IMDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group EmS-No Special Provisions Marine pollutant Marine Pollutant Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III F-A, S-F 274, 335, 969 P Frits, chemicals UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, Marine pollutant
<u>RID</u> UN number or ID number	UN3082

FG00051 - V-336 Royal Blue

Revision date 17-Oct-2022

UN proper shipping name Transport hazard class(es) Packing group Classification code Special Provisions Description	Environmentally hazardous substance, liquid, n.o.s. 9 III M6 274, 335, 375, 601 UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
ADR UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code Tunnel restriction code Special Provisions Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III M6 (-) 274, 335, 601, 375 UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, (-)
ADN UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code Special Provisions Description Equipment Requirements	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III M6 274, 335, 375, 601 UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III PP

15. Regulatory information

International Inventories

TSCA

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
C.I. Pigment Blue 73	68187-40-6	Present	Active
Kaolin	1332-58-7	Present	Active
Quartz	14808-60-7	Present	Active
Feldspar	68476-25-5	Present	Active
Frits, chemicals	65997-18-4	Present	Active
C.I. Pigment Blue 28	1345-16-0	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
Spinels, chromium cobalt iron black	68186-97-0	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)-trietha nol	4719-04-4	Present	Active
D-gluco-Heptonic acid, monosodium salt, (2.xi.)-	31138-65-5	Present	Active
Ethanolamine	141-43-5	Present	Active

DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AIIC NZIoC Contact supplier for inventory compliance status. **TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

 $\textbf{DSL/NDSL} \quad \text{- Canadian Domestic Substances List/Non-Domestic Substances List}$

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
C.I. Pigment Blue 73 - 68187-40-6	0.1
Frits, chemicals - 65997-18-4	0.1
	1.0
C.I. Pigment Blue 28 - 1345-16-0	0.1
Spinels, chromium cobalt iron black - 68186-97-0	0.1
	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals 65997-18-4	-	Х	-	-
Spinels, chromium cobalt iron black 68186-97-0	-	Х	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
C.I. Pigment Blue 73 68187-40-6	Х	-	Х
Kaolin 1332-58-7	Х	x	Х
Quartz 14808-60-7	Х	X	Х
Feldspar 68476-25-5	Х	-	Х
Frits, chemicals	Х	-	Х

FG00051 - V-336 Royal Blue

65997-18-4			
C.I. Pigment Blue 28 1345-16-0	Х	-	Х
Spinels, chromium cobalt iron black 68186-97-0	Х	-	Х
Ethanolamine 141-43-5	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other	information			
NFPA <u>HMIS</u> Chronic Hazard	Health hazards 2 Fla Health hazards 2 * Fla	ammability 0 ammability 0 h Hazard	Instability 0 Physical hazards 0	Special hazards - Personal protection X
	d to abbreviations and acronyms used ion 8: Exposure controls/personal pro		sheet	
TWA	TWA (time-weighted average)	STEL		n Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation	
Agency for To U.S. Environm European Foo EPA (Environm Acute Exposu U.S. Environm U.S. Environm Food Researc Hazardous Su International L National Institu Australia Nation NIOSH (Nation National Libra National Libra National Libra National Toxic New Zealand's Organization f	bstance Database Jniform Chemical Information Database (Jute of Technology and Evaluation (NITE) onal Industrial Chemicals Notification and nal Institute for Occupational Safety and I ry of Medicine's ChemID Plus (NLM CIP) ry of Medicine's PubMed database (NLM cology Program (NTP) s Chemical Classification and Information or Economic Co-operation and Developm or Economic Co-operation and Developm or Economic Co-operation and Developm	TSDR) abase ide, Fungicide, and I Volume Chemicals IUCLID) Assessment Schem Health) PUBMED) Database (CCID) nent Environment, He nent High Production	Rodenticide Act ne (NICNAS) ealth, and Safety Publication Volume Chemicals Program	
Revision date Revision Note <u>Disclaimer</u> The informati		is correct to the be	st of our knowledge info	rmation and balief at the

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet