

010115800000 FIBERLAY INC.
2419 NW MARKET ST
SEATTLE WA

88030

1063

98107

HMIS SYSTEM: 000E APPLICABLE FOR :
2800000 2891904 M/I 1964 X 4" SILANE 6 RL

(PREPARED IN ACCORDANCE WITH 29 CFR 1910.1200)

MANUFACTURER'S NAME: CLARK-SCHWIBEL FIBER GLASS CORPORATION
ADDRESS: P O BOX 2627 ANDERSON SC 29622
EMERGENCY TELEPHONE: 803-224-3506
CHEMTREC NO: 1-800-424-9300
NAME OF PERSON RESPONSIBLE FOR PREPARATION:
DATE PREPARED: 06/28/89

SECTION I - IDENTITY

COMMON NAME: FIBER GLASS CLOTH VOLAN FINISH
CHEMICAL NAME: GLASS OXIDE CHEMICAL FAMILY: GLASS OXIDE
D.O.T. PROPER SHIPPING NAME: FIBER GLASS CLOTH
D.O.T. HAZARD CLASS: N/A D.O.T. I.D. NO: N/A
EMERGENCY RESPONSE GUIDE #:

SECTION II - HAZARDOUS INGREDIENTS

APPLICABLE EXPOSURE LIMITS

CHEMICAL & COMMON NAME	%WT	PEL--WISHA/OSHA	TLV--ACGIH	OTHER
GLASS OXIDE	> 99	15MG/M3	5HG/M3	N/A
METHACRYLATO CHROMIC CHLORIDE	< 1	N/A	N/A	N/A

CARCINOGENIC INGREDIENTS

REFERENCE SOURCE

CHEMICAL & COMMON NAME	%WT	NTF	IARC	WISHA/OSHA
NONE				

SECTION III - HEALTH HAZARD DATA

ACUTE HEALTH EFFECTS: IF IN EYES OR ON SKIN, MAY CAUSE MILD IRRITATION. IN INHALED, MAY CAUSE UPPER RESPIRATORY TRACT IRRITATION.

CHRONIC HEALTH EFFECTS: NONE MENTIONED

ROUTES OF ENTRY: INHALATION

MEDICAL CONDITIONS, AGGRAVATED BY EXPOSURE: NONE

EMERGENCY & FIRST AID PROCEDURES: EYES: FLUSH WITH WATER WHILE LIFTING UP PER AND LOWER EYELIDS. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN: WASH THOROUGHLY WITH SOAP AND COOL WATER. INHALATION: IF INHALED AND AFFECTED, REMOVE INDIVIDUAL TO FRESH AIR. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.

88030

88030

2 of 3

SECTION IV - CHEMICAL DATA

BOILING POINT (AT 760MM HG)(F):	N/A	SPECIFIC GRAVITY(H2O=1):	2.54
VAPOR PRESSURE (MM HG):	N/A	% VOLATILE BY VOLUME:	NONE
VAPOR DENSITY (AIR=1):	N/A	EVAPORATION RATE (=1):	N/A

SOLUBILITY (SPECIFY SOLVENTS): INSOLUBLE IN WATER

APPEARANCE AND ODOR: WHITE TO LIGHT GREEN ODORLESS CLOTH

SECTION V - PHYSICAL HAZARD DATA

FLASH POINT (METHOD USED): NONE

FLAMMABLE LIMITS:

LEL:

UEL:

EXTINGUISHING MEDIA: USE APPROPRIATE EXTINGUISHING MEDIA FOR PRIMARY SOURCE OF FIRE. PRODUCT IS NOT COMBUSTIBLE.

SPECIAL FIRE FIGHTING PROCEDURES: NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

INCOMPATIBILITY (MATERIALS TO AVOID): STRONG BASES AND ACIDS (OXIDIZING MINERAL, ESPECIALLY OXALIC AND HYDROFLUORIC ACID)

HAZARDOUS DECOMPOSITION PRODUCTS: GLASS CLOTH - NONE. SMALL AMOUNTS OF OXIDES OF CARBON AND NITROGEN MAY BE EVOLVED IF EXPOSED TO FIRE.

HAZARDOUS POLYMERIZATION: NONE

CONDITIONS TO AVOID: NONE

STABILITY: STABLE

CONDITIONS TO AVOID: NONE

SECTION VI - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: NO SPECIAL PRECAUTIONS.

WASTE DISPOSAL METHODS: AN INERT, SOLID WASTE. DISPOSE OF IN A LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

SECTION VII - EXPOSURE CONTROL INFORMATION

RESPIRATORY PROTECTION(SPECIFY TYPE): IF AIRBORNE FIBERGLASS CONCENTRATIONS EXCEED PERMISSIBLE EXPOSURE LEVELS, RESPIRATORY PROTECTION FOR NUISANCE DUST IN ACCORDANCE WITH OSHA 1910.134 SHOULD BE USED. NONE NORMALLY REQUIRED

VENTILATION: USE LOCAL EXHAUST VENTILATION IF NECESSARY TO MAINTAIN AIRBORNE LEVELS TO BELOW ESTABLISHED LIMITS.

PROTECTIVE GLOVES: MAY REDUCE SKIN IRRITATION IN SOME OPERATIONS.

EYE PROTECTION: SAFETY GLASSES WITH SIDE SHIELDS.

OTHER PROTECTIVE EQUIPMENT: IN SOME CIRCUMSTANCES, IT MAY BE ADVISABLE TO WEAR GLOVES AND LONG SLEEVED, LOOSE FITTING CLOTHING AND EYE PROTECTION.

OTHER ENGINEERING CONTROLS: NONE MENTIONED

88030

WORK PRACTICES: USE RECOMMENDED SAFETY EQUIPMENT

3063

HYGIENIC PRACTICES: WASH WITH SOAP AND WATER AFTER HANDLING. WASH WORK CLOTHES SEPARATELY FROM OTHER CLOTHING. WIPE OUT WASHING MACHINE.

SECTION VIII - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING & STORAGE: FIBER GLASS CLOTH IS DENSE, AND EVEN SMALL ROLLS ARE HEAVY. USE LIFT DEVICES TO PREVENT INJURIES. DO NOT ALLOW CLOTH TO CRUSH LIMBS OR EXTREMITIES.

MAINTENANCE PERSONNEL: NONE MENTIONED

OTHER PRECAUTIONS: NONE KNOWN