

88232+88233
MATERIAL SAFETY DATA SHEET

1009

CrystalFin SemiGloss

Product Number: 1210

Manufacturer: **Daly's Wood Finishing Products**
3525 Stone Way North
Seattle, WA 98103

HMIS Information
Health 1
Flammability 0
Reactivity 0

Preparer's Name: H. Paulson

Date of Preparation:

Emergency Telephone Number:
(206) 633-4200

SECTION I - PRODUCT IDENTITY

Chemical Name:
Polyurethane/Acrylic Resin Mixture

DOT Shipping Class: Not regulated

Chemical Formula:
N/A Product is a Mixture

SECTION II - HAZARDOUS INGREDIENTS

| Chemical & Common Name | CAS # | Wt% | OSHA PEL | ACGIH TLV | OTHER |
|--------------------------------------|------------|-----|----------|-----------------|-------|
| Dipropylene Glycol Mono-methyl Ether | 34590-94-8 | | 5-10 | Not Established | |

88232, 88233

SECTION III - PHYSICAL CHARACTERISTICS

Boiling Range: 212°F
Vapor Pressure(mm Hg): =water
Vapor Density(Air = 1): =water

Specific Gravity: 1.08-1.26
%Volatile(Volume): 70-75
Evap. Rate(BuOAc = 1): =water

Solubility(Specify solvents):
Completely soluble in water, alcohol, insoluble in most petroleum solvents.

Appearance and Odor:
Milky white liquid; very little odor.

SECTION IV - FIRE & EXPLOSION DATA

Flash Point: N/A (Setflash)

Flammable Limits(% in air): N/A

Extinguishing Media: Non-flammable.

Special Firefighting Procedures:
N/A

Send all 9 pages for either item #

88232 + 88233

2019

CrystalFin SemiGloss

Unusual Fire and Explosion Hazards: None known.

Reactivity: Product is stable.

Hazardous Polymerization: Will not occur.

Conditions to avoid: Keep from freezing.

Incompatibilities (materials to avoid):
None known.

Hazardous Decomposition Products:
None known.

SECTION V -- HEALTH HAZARDS

Primary Routes of Entry: Eye contact, Ingestion.

ACUTE HEALTH EFFECTS:

EYE CONTACT: May cause redness, irritation.

INHALATION: No known adverse effects.

INGESTION: May cause gastrointestinal irritation.

SKIN CONTACT: No known adverse effects.

EMERGENCY FIRST AID PROCEDURES:

EYE CONTACT: Flush immediately with running water for at least fifteen minutes. If irritation persists, get medical attention.

INHALATION:

INGESTION: DO NOT INDUCE VOMITING. Give individual water or milk to dilute material ingested. If irritation persists, get medical attention.

SKIN CONTACT:

CHRONIC HEALTH EFFECTS:

Not listed as a carcinogen by the NTP, IARC, or OSHA; no long-term adverse effects are known.

Medical Conditions Aggravated by Exposure:

N/A

SECTION VI -- SPILL OR LEAK PROCEDURES

Steps to be taken in case material is spilled or released:
Soak up spill with absorbent material. Let dry and dispose of.

Waste Disposal Method:

Dispose of in accordance with all applicable federal, state, and local regulations.

CrystalFin SemiGloss

88232+88233

SECTION VII -- SPECIAL PROTECTION DATA

Respiratory Protection: None required with normal use.

3089

Ventilation: Local exhaust.

Protective Gloves: Rubber or plastic if contact is likely.
face shield.

Eye Protection: Goggles or

Other Protective Clothing or Equipment:
Plastic apron, if contact is likely. Eyewash station should be available.

SECTION VIII -- HANDLING & STORAGE DATA

Precautions to be Taken in Handling and Storage:
Store in original container; keep tightly closed. Do not reuse container for
other purposes. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:
Keep container closed when not in use.

SECTION IX -- OTHER INFORMATION

SARA Title III Section 313 Supplier Notification:

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

| CAS# | Chemical Name | Percent by Weight |
|------|---------------|-------------------|
|------|---------------|-------------------|

This product contains no chemicals subject to reporting.

The information contained herein is based on data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained for the use thereof. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable regarding all current regulations.

88232+88233
MATERIAL SAFETY DATA SHEET

4009

CrystalFin Satin

Product Number: 1220

Manufacturer:

Daly's Wood Finishing Products
3525 Stone Way North
Seattle, WA 98103

HMIS Information

Health 1
Flammability 0
Reactivity 0

Preparer's Name: H. Paulson

Date of Preparation:

Emergency Telephone Number:
(206) 633-4200

SECTION I - PRODUCT IDENTITY

Chemical Name:
Polyurethane/Acrylic Resin Mixture

DOT Shipping Class: Not regulated

Chemical Formula:
N/A Product is a Mixture

SECTION II - HAZARDOUS INGREDIENTS

| Chemical & Common Name | CAS # | Wt% | OSHA PEL | ACGIH TLV | OTHER |
|--------------------------------------|------------|-----|----------|-----------------|-------|
| Dipropylene Glycol Mono-methyl Ether | 34590-94-8 | | 5-10 | Not Established | |

SECTION III - PHYSICAL CHARACTERISTICS

Boiling Range: 212°F
Vapor Pressure(mm Hg): =water
Vapor Density(Air = 1): =water

Specific Gravity: 1.08-1.26
%Volatile(Volume): 70-75
Evap. Rate(BuOAc = 1): =water

Solubility(Specify solvents):
Completely soluble in water, alcohol, insoluble in most petroleum solvents.

Appearance and Odor:
Milky white liquid; very little odor.

SECTION IV - FIRE & EXPLOSION DATA

Flash Point: N/A (Setaflash)

Flammable Limits(% in air): N/A

Extinguishing Media: Non-flammable.

Special Firefighting Procedures:
N/A

88232+88233

589

CrystalFin Satin

Unusual Fire and Explosion Hazards: None known.

Reactivity: Product is stable.

Hazardous Polymerization: Will not occur.

Conditions to avoid: Keep from freezing.

Incompatibilities (materials to avoid):
None known.

Hazardous Decomposition Products:
None known.

SECTION V -- HEALTH HAZARDS

Primary Routes of Entry: Eye contact, ingestion.

ACUTE HEALTH EFFECTS:

EYE CONTACT: May cause redness, irritation.

INHALATION: No known adverse effects.

INGESTION: May cause gastrointestinal irritation.

SKIN CONTACT: No known adverse effects.

EMERGENCY FIRST AID PROCEDURES:

EYE CONTACT: Flush immediately with running water for at least fifteen minutes. If irritation persists, get medical attention.

INHALATION:

INGESTION: DO NOT INDUCE VOMITING. Give individual water or milk to dilute material ingested. If irritation persists, get medical attention.

SKIN CONTACT:

CHRONIC HEALTH EFFECTS:

Not listed as a carcinogen by the NTP, IARC, or OSHA; no long-term adverse effects are known.

Medical Conditions Aggravated by Exposure:

N/A

SECTION VI -- SPILL OR LEAK PROCEDURES

Steps to be taken in case material is spilled or released:
Soak up spill with absorbent material. Let dry and dispose of.

Waste Disposal Method:

Dispose of in accordance with all applicable federal, state, and local regulations.

CrystalFin Satin

88232 + 88233

6 of 9

SECTION VII -- SPECIAL PROTECTION DATA

Respiratory Protection: None required with normal use.

Ventilation: Local exhaust.

Protective Gloves: Rubber or plastic if contact is likely.
face shield.

Eye Protection: Goggles or

Other Protective Clothing or Equipment:
Plastic apron, if contact is likely. Eyewash station should be available.**SECTION VIII -- HANDLING & STORAGE DATA**Precautions to be Taken in Handling and Storage:
Store in original container; keep tightly closed. Do not reuse container for
other purposes. KEEP OUT OF REACH OF CHILDREN.Other Precautions:
Keep container closed when not in use.**SECTION IX -- OTHER INFORMATION**

SARA Title III Section 313 Supplier Notification:

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency
Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

| CAS# | Chemical Name | Percent by Weight |
|------|---|-------------------|
| | This product contains no chemicals subject to reporting. | |

The information contained herein is based on data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained for the use thereof. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable regarding all current regulations.

88232-88233

MATERIAL SAFETY DATA SHEET

7069

CrystalFin Gloss

Product Number: 1200

Manufacturer:

Daly's Wood Finishing Products
3525 Stone Way North
Seattle, WA 98103

HMIS Information

Health 1
Flammability 0
Reactivity 0

Preparer's Name: H. Paulson

Date of Preparation:

Emergency Telephone Number:
(206) 633-4200

SECTION I - PRODUCT IDENTITY

Chemical Name:
Polyurethane/Acrylic Resin Mixture

DOT Shipping Class: Not regulated

Chemical Formula:
N/A Product is a Mixture

SECTION II - HAZARDOUS INGREDIENTS

| Chemical & Common Name | CAS # | WT% | OSHA PEL | ACGIH TLV | OTHER |
|--------------------------------------|------------|-----|----------|-----------------|-------|
| Dipropylene Glycol Mono-methyl Ether | 34590-94-8 | | 5-10 | Not Established | |

SECTION III - PHYSICAL CHARACTERISTICS

Boiling Range: 212°F
Vapor Pressure(mm Hg): =water
Vapor Density(Air = 1): =water

Specific Gravity: 1.08-1.26
%Volatile(Volume): 70-75
Evap. Rate(BuOAc = 1): =water

Solubility(Specify solvents):
Completely soluble in water, alcohol, insoluble in most petroleum solvents.

Appearance and Odor:
Milky white liquid; very little odor.

SECTION IV - FIRE & EXPLOSION DATA

Flash Point: N/A (Setaflash)

Flammable Limits(% in air): N/A

Extinguishing Media: Non-flammable.

Special Firefighting Procedures:
N/A

88232+88233

8089

CrystalFin Gloss

Unusual Fire and Explosion Hazards: None known.

Reactivity: Product is stable.

Hazardous Polymerization: Will not occur.

Conditions to avoid: Keep from freezing.

Incompatibilities (materials to avoid):
None known.

Hazardous Decomposition Products:
None known.

SECTION V -- HEALTH HAZARDS

Primary Routes of Entry: Eye contact, ingestion.

ACUTE HEALTH EFFECTS:

EYE CONTACT: May cause redness, irritation.

INHALATION: No known adverse effects.

INGESTION: May cause gastrointestinal irritation.

SKIN CONTACT: No known adverse effects.

EMERGENCY FIRST AID PROCEDURES:

EYE CONTACT: Flush immediately with running water for at least fifteen minutes. If irritation persists, get medical attention.

INHALATION:

INGESTION: DO NOT INDUCE VOMITING. Give individual water or milk to dilute material ingested. If irritation persists, get medical attention.

SKIN CONTACT:

CHRONIC HEALTH EFFECTS:

Not listed as a carcinogen by the NTP, IARC, or OSHA; no long-term adverse effects are known.

Medical Conditions Aggravated by Exposure:

N/A

SECTION VI -- SPILL OR LEAK PROCEDURES

Steps to be taken in case material is spilled or released:

Soak up spill with absorbent material. Let dry and dispose of.

Waste Disposal Method:

Dispose of in accordance with all applicable federal, state, and local regulations.

SECTION VII - SPECIAL PROTECTION DATA

Respiratory Protection: None required with normal use.

Ventilation: Local exhaust.

Protective Gloves: Rubber or plastic if contact is likely, face shield.

Eye Protection: Goggles or

Other Protective Clothing or Equipment:

Plastic apron, if contact is likely. Eyewash station should be available.

SECTION VIII - HANDLING & STORAGE DATA

Precautions to be Taken in Handling and Storage:

Store in original container; keep tightly closed. Do not reuse container for other purposes. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:

Keep container closed when not in use.

SECTION IX - OTHER INFORMATION

SARA Title III Section 313 Supplier Notification:

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

| CAS# | Chemical Name | Percent by Weight |
|------|---------------|-------------------|
|------|---------------|-------------------|

This product contains no chemicals subject to reporting.

The information contained herein is based on data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained for the use thereof. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable regarding all current regulations.