

Manufacturer: Xerox Corporation  
Rochester, N.Y. 14644

Emergency Tel. No.: (716) 422-2177  
Information Tel. No.: (800) 828-6571  
Transportation Emergency Telephone No.: (716) 422-1230

**Section I - Product Identification**

Trade Names/Synonyms: 7080/7085/8200/8700/Model V/  
8790/Model V/9200/9210/9400/9500/  
9700/Model V/9790/Model V/9900/  
9950 Developer  
Part No.: 5R77, 5R81, 5R97, 5R105,  
5R147, 5R149, 5R176,  
5R516, 5R231; XCI: 5R520,  
5R522

Chemical Name: None

Ingredients

CAS No.

Carrier (>99%):

Ni-Zn ferrite powder: Iron (>70%) 7439-89-6  
Zinc (15-20%)<sup>1</sup> 7440-66-6  
Nickel (5-10%)<sup>1</sup> 7440-02-0

Toner (<1%):

Styrene/acrylate polymer (85-90%) 25213-39-2  
Carbon black (10-15%) 1333-86-4

**Section II - Emergency and First Aid**

Eyes: Flush with water.  
Skin: Wash with soap and water.  
Inhalation: Remove from exposure.  
Ingestion: Dilute stomach contents with several glasses of water.  
Primary Route of Entry: Inhalation  
Symptoms of Overexposure: Minimal respiratory tract irritation may occur as with exposure to large amounts of any non-toxic dust.  
Medical Conditions Generally Aggravated by Exposure: None when used as described by product literature.  
Additional Information: See Sections V and VII. Further information on file in Poisindex.

**Section III - Toxicology and Health Information**

*This material has been evaluated by Xerox Corporation.*

Oral LD <sub>50</sub> :	> 15.38 g/kg (Rats) practically non-toxic.	TLV:	10 mg/m <sup>3</sup> (Total Dust)
Dermal LD <sub>50</sub> :	> 3 g/kg (Rabbits) practically non-toxic.	PEL:	15 mg/m <sup>3</sup> (Total Dust) 5 mg/m <sup>3</sup> (Respirable Dust)
Inhalation LC <sub>50</sub> :	> 9.85 mg/l (Rats, 4 hr exposure) practically non-toxic. > 39.6 mg/l (calculated 1 hr exposure) non-poisonous, DOT.	STEL:	None established
Eye Irritation:	Not an irritant.	Ceiling:	None established
Skin Sensitization:	Not a sensitizer.	XEL <sup>2</sup> :	2.5 mg/m <sup>3</sup> (Total Dust) 0.4 mg/m <sup>3</sup> (Respirable Dust)
Skin Irritation:	Not an irritant.		
Human Patch:	Non-irritating, non-sensitizing		
Mutagenicity:	No mutagenicity detected in Ames, WP <sub>2</sub> , Micronucleus, and UDS Assays.		
Carcinogens:	Nickel is classified as a carcinogen by NTP, IARC, and OSHA.		
Aquatic LC <sub>50</sub> :	> 500 mg/l (Fathead Minnows) non-toxic.		

Additional Information: The information noted above is toxicity data for toner.

In a Xerox sponsored chronic inhalation study in rats using a special test toner, there were no lung changes at all in the lowest exposure level (1 mg/m<sup>3</sup>), the most relevant level to potential human exposures. A very slight degree of fibrosis was noted in 25 % of the animals at the middle exposure level (4 mg/m<sup>3</sup>) while a slight degree of fibrosis was observed at the highest exposure level (16 mg/m<sup>3</sup>) in all animals. These findings are attributed to "lung overloading," a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. The special test toner was ten times more respirable than commercially available Xerox toner to comply with EPA testing protocol and would not function properly in Xerox equipment.

<sup>1</sup>This product contains a toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40CFR Part 372 <sup>2</sup>XEL - Xerox Exposure Limit

99976

99985  
 99976

2 of 2

### Section IV - Physical Data

Appearance/Odor:	Black granular / faint odor	Softening Range:	N.A.
Boiling Point:	N.A.	Melting Point:	N.A.
Solubility in Water:	N.A.	Specific Gravity (H <sub>2</sub> O = 1):	~5
Evaporation Rate:	N.A.	Vapor Pressure (mm Hg):	N.A.
Vapor Density (Air = 1):	N.A.	pH =	N.A.
Volatile	N.A. %(Wgt.)	N.A. %(Vol.)	

### Section V - Fire and Explosion Data

Flash Point (Method Used): N.A. Flammable Limits: LEL: N.A. UEL: N.A.

Extinguishing Media: Water, foam, dry chemical.

Special Fire Fighting Procedures: Avoid inhalation of smoke. Wear protective clothing and self-contained breathing apparatus.

Fire and Explosion Hazards: None

### Section VI - Reactivity Data

Stability:	Unstable	X	Hazardous Polymerization:	May Occur	X
	Stable			Will Not Occur	

Hazardous Decomposition Products: Products of combustion may be toxic. Avoid breathing smoke.

Incompatibility (Materials to Avoid): None

### Section VII - Special Protection Information

Respiratory Protection: None required when used as intended in Xerox equipment.

Eye Protection: None required when used as intended in Xerox equipment.

Protective Gloves: None required when used as intended in Xerox equipment.

Other: For use other than normal customer - operating procedures (such as in bulk toner processing facilities), goggles and respirators may be required. For more information, contact Xerox.

### Section VIII - Special Precautions

Handling and Storage: None

Conditions to Avoid: Avoid prolonged inhalation of excessive dust.

### Section IX - Spill, Leak, and Disposal Procedures

For Spills or Leakage: If spilled, sweep up or vacuum.

Waste Disposal Method: When disposed, this material is not a hazardous waste according to Federal Regulation 40 CFR 261. However, State and Local requirements may be more restrictive. Therefore, consultation with the appropriate State and Local waste disposal authorities is advised.

### Section X - Transportation Information

DOT Proper Shipping Name: Not Regulated

Hazard Classification: N.A. ID Number: N.A.